LED Widescreen Ultra HD Display

►84WS70MS-B

84" class (84.04" measured diagonally)



Features

REDUCED TCO (Total Cost of Ownership)

The 84WS70MS-B display is Energy Star® 5.1 compliant consuming approximately 40% less energy than noncompliant models. In standby mode, it uses less than one watt of power and meets the environmental regulations while excluding the use of harmful materials (RoHS) and reducing CO2 emissions.

BEZEL WIDTH

This aesthetically superior display has the bezel width of 27.9mm that offers an elegant but modern look that will work well with any decor.

Specifications

Native Display Resolution 3840 x 2160 (Ultra HD) High Brightness 500 cd/m² Contrast Ratio 1,400:1 (Typ.), 500,000:1 (DCR) 178°/ 178° Ultra Wide Viewing Angle Can be installed in Portrait or Landscape mode RGB input/output (1) DVI-D input/output (1) HDMI input (2) DisplayPort input (1) Convenient External Speaker-Out Smart Energy Saving Bezel Width 27.9mm Temperature Sensor USB Playback 3-Year Limited Warranty Parts/Labor/Backlight









NO BLACKENING DEFECT

Display has a built-in temperature control that adjusts to light and heat eliminating dark or blackened areas.



If the outdoor temperature is 86°F the surface temperature of display is 185°F

TRUE WIDE VIEWING

Color shifts and distortion are eliminated from any viewing angle.



Color change average @ 60° Gamma change average @ 60°

PANEL STABILITY

Minimized image distortion and shows no tailing when external pressure is applied.



IPS

Competition

84" Edge LED Large Screen

The sheer size of the screen, equal to four 42-inch class displays, gives you a breathtaking viewing experience. The picture is so big and immersive, it's as if you're in the scene and part of the action.



Attachable External Media Players (sold separately)

Slim design LG media players can be installed conveniently in the back without taking up additional space.



MP700, MP500

Super High Resolution 3,840 x 2,160 (Ultra HD)

Boasting a pixel resolution 4X higher than Full HD (1080p), its detail is so vivid and crisp, even when viewed from a close distance.



When using the MP700 follow these tips to achieve the best playback quality

Create content based on the same resolution as the digital signage monitor

Video content should be encoded at above an optimum level of bit rate

- Playback content larger than its original size
- Increasing bit rate will improve the quality of content, but requires high performing CPU

•Dynamic content such as sports may require a higher bit rate

Recommendation	Ultra HD Signage	FHD Signage	HD Signage
Resolution	3,840 x 2,16	1,920 x 1,080	1,366 x 768
Bit Rate	80~120Mbps (full motion video) over 40Mbps (slideshow video)	over 20 Mbps (full motion video) above 10Mbps (slideshow video)	10 Mbps (full motion video) over 5Mbps (slideshow video)
Appropriate FPS/Hz	30 FPS	30 FPS	30 FPS
Codec	H.264>MPEG4>MPEG2 (bigger file size)	H.264>MPEG4>MPEG2 (bigger file size)	H.264>MPEG4>MPEG2 (bigger file size)
Codec Pack	K-Lite CodecPack	K-Lite CodecPack	K-Lite CodecPack



when it's green.

LG is committed to improving product development, manufacturing and usage to meet the demand for products with environmentally friendlier features. Our Display has technologies to reduce power consumption and in return increase cost savings per room.

EcoSmart

- Intelligent Sensor Continually monitors room light conditions to automatically optimize the picture quality for a more enjoyable viewing experience, which can help save energy.
- Dynamic Power Savings Using built-in algorithms, Display will automatically reduce the power consumption based on incoming video, while maximizing picture performance.
- Static Power Savings Picture brightness level can be set at the preferred power consumption level to reduce power and increase energy savings.
- **CEC Compliant** Meets the Appliance Efficiency Regulations of the California Energy Commission.
- RoHS Compliant Meets directive on restriction of hazardous substances.



Rear Jack Panel



LED Widescreen Ultra HD Display



84" class (84.04" measured diagonally)



PANEL	Model	84WS70MS-B	PHYSICAL	Model	84WS70MS-B	
	Screen Size	84" (84.04" measured diagonally)	SPECIFICATIONS	Color	Black	
	Panel Technology	IPS		Bezel Width	27.9mm	
	Aspect Ratio	16 : 9		Monitor Dimensions	75.7" x 4.0" x 43.7" (W x H x D) (head only)	
	Native Resolution	3840 x 2160 (UD)		Monitor Weight Carton Dimensions	160.7 lbs. (head only) 80.0″ x 12.4″ x 47.8 (W x H x D)	
				Packed Weight	192.2 lbs.	
	Pixels($H \times V \times 3$)	24,883,200		Handle	Yes	
	Brightness	500 cd/m ²		Hanale VESA™ Standard	Tes	
	Contrast Ratio	1,400:1		Mount Interface	600mm x 400mm	
	Dynamic CR	500,000 : 1	SPECIAL FEATURES	Temperature Sensor		
	Color Gamut	72%		Auto Brightness Sensor		
	Tni	110°C (=230°F)		Source Selection: AV, Component, RGB, Display Port, DVI-D, HDMI		
	Viewing Angle	178°/178°		Brightness/Contrast/Backlight Position/Size		
	Color Depth	1.06 Billion		Auto Config/Phase		
				English, French, German, Spanish, Italian, Korean , Chinese(Simplified),		
	Response Time Surface Treatment	12ms (G to G)		Language (OSD)	Chinese(Original), Portugues(Brazil), Swedish, Finnish, Norwegian, Danish, Japanese, Russian, Portugues(Europe), Dutch, Czech, Greek	
	Orientation	Anti-glare(Haze <10%) Portrait and Landscape		Language (USB Playback)	English, French, German, Spanish, Italian, Korean , Chinese(Simplified), Chinese(Original), Portugues(Brazil), Swedish, Finnish, Norwegian, Danish, Japanese, Russian, Portugues(Europe), Dutch, Czech, Greek	
	Max Input Resolution	3840 x 2160@30Hz (HDMI, Display Port) 1920 x 1080@60Hz (RGB, DVI-D)		Language (Manual)	English, French, Italian, German, Spanish, Portugues, Hungarian, Greek, Russian Dutch, Kazakh, Ukrainian, Polish, Arabic, Indonesian, Korean, Japanese, Turkish,	
	Rec. Resolution	3840 x 2160@30Hz(HDMI, Display Port)		Language (ESG)	Czech, Taiwanese, Slovak English, French, Italian, German, Spanish, Portugues, Greek, Polish, Czech, Slovak	
	H-Scanning Freq	30 ~ 83kHz (RGB, HDMI/DVI-D/DP)		ISM Method	Normal, White Wash, Orbiter, Inversion	
	V-Scanning Freq	56Hz ~ 75Hz (RGB), 56Hz~60Hz (HDMI/DVI-D/DP)		Advanced	Dynamic Contrast, Dynamic Color, Clear White, Skin Color, Noise Reduction, Digital Noise Reduction, Gamma, Black Level	
	Pixel Frequency	300MHz(HDMI, Display Port)		Time	Clock, On/Off Time, Sleep Timer, Power on Delay, Auto Off, Automatic Standby	
	. ,	148.5MHz(RGB, DVI-D)		Information	Model/Type, Software Version, Serial Number, IP Address, MAC Address, Homepage	
	Sync Compatability	Separate, Composite, Digital		Input Label	Yes(PC/DTV)	
	Video Input	RGB, HDMI, DVI-D, Display Port, Composite		Auto Power/Source Memory	Yes	
	Picture mode	Intelligent Sensor/Vivid / Standard / Cinema / Game/ Expert1/Expert2		Key Lock DPM Select		
	Color temperature	Warm, Medium , Cool		Energy Saving Yes (Minimum, Medium, Maxium)		
CONNECTIVITY INPUT (Rear)	, Digital	HDMI(2), DVI-D(1) with HDCP for all input		Smart Energy Saving		
	Analog	RGB(1), Composite(1)		Power Indication On/Off		
	Ŭ			File Play with USB Operation Temp.	0°C ~ 40°C	
	Audio	RGB/DVI-D/AV	ENVIRONMENT CONDITIONS	Operation Humidity	10% ~ 80%	
	External Control	RS232C(1), RJ45(1), IR(1)	POWER	Power Supply	100-240V~, 50/60Hz	
	USB	USB(2)	FOWER	Power Consumption	Normal (Typical) 350W	
	HDTV Formats	Component: 720p, 1080i , 1080p HDMI: 720p, 1080i, 1080p, 2160p			Smart Energy Saving on 200W	
OUTPUT (Rear)	Digital	DVI-D(1)	STANDARD CERTIFICATION		DPMS Off 1.5W(RGB) Power Off 0.5W	
	Analog	Option 1 (Included): RGB(1)		Safety	UL / cUL / CB scheme / TUV	
	Audio	Yes(1)		EMC	FCC Class "A", VCCI, C+ick, CE, KCC	
	External Control	RS232C(1), IR(1)	MEDIA PLAYER	Yes (MP500, MP700)		
	Balance	Yes	COMPATIBILITY			
	Audio Power	20W (10W x 2)	WARRANTY UPC	3-Year Limited Warranty (Parts/Labor/Backlight)		
	Speaker on/off	Yes		D-Sub Cable Power	7 19192 19191 4 D-Sub Cable, Power Cord, Remote Controller(include battery 2ea), CD(Manual/Elite.	
	Clear Voice II		OPTIONAL ACCESSORIES	Eye Bolt(2EA)		
	Clear voice II	Yes		Media Player: MP700/MP500		





LG Electronics U.S.A., Inc. HE B2B Division 2000 Millbrook Drive Lincolnshire, IL 60069

Customer Service: 888.865.3026 www.LGsolutions.com/support

Contact your LG Regional Sales Representative: Channel: 800.897.8871 Hospitality: 800.228.1236 E-mail: info@LGsolutions.com

SPEC_84WS70MS_B_021313_PR



All screen images are simulated. Dimensions and weights are approximate. Design, specifications, and features subject to change without notice.

@ Copyright 2013 LG Electronics USA, Inc. All Rights Reserved. "LG Life's Good" is a registered trademark of LG Corp.

ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. In Plane Switching is a trademark of LG Philips LCD Ltd. VESA is a trademark of Video Electronics Standards Association. HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC.

All other product and brand names are trademarks or registered trademarks of their respective companies.