



Ideal for business professionals who need professional-quality colour from an easy-to-use, highly affordable HP LaserJet printer.









Make an impression with professional colour documents and marketing materials created in-house.

- Get professional, accurate results: HP ImageREt 3600 and Original HP LaserJet toner cartridges enable exceptional colour and crisp, detailed text.
- Design and produce your own marketing materials on a range of media sizes from 8.9 x 12.7 cm (3.5 x 5 inches) to 21.6 x 35.6 cm (8.5 x 14 inches).
- Do more from your desktop: go to www.hp.com/create to access ideas, use tips and download templates and stock photos from HP.
- Print documents affordably: get the same black cost per page as a black-and-white HP LaserJet printer².

Boost productivity and enjoy convenient, intuitive setup and easy-to-use features.

- Enjoy high productivity and save time with great print speeds of up to 18 ppm A4.
- Install the printer in only a few minutes HP Smart Install makes it easy to quickly start printing on a PC or netbook, without a CD¹.
- Get consistent results and print for longer with Original HP high-capacity black cartridges³ and easily reorder with HP SureSupply⁴. One easy-access door lets you replace cartridges quickly and simply.
- Easily see printer status and navigate the intuitive two-line control panel.

Reduce your environmental impact.

 Reduce energy use with HP Auto-Off Technology, which turns the printer off when you don't need it⁵.

¹ HP Smart Install works with Windows only.

² Compared with HP LaserJet Pro P1566/ P1606dn printer. Assuming customer is printing at least 30% of total pages in colour with content similar to the colour ISO/IEC 19798 test suite (www.iso.org/itc1/sc28) and overall average job length of three pages. Yields established using ISO/IEC test standards. Actual yields and costs vary considerably depending on images printed, number of colour pages printed, and other factors.

- ³ HP LaserJet CE305X Black Toner Cartridge not included; please purchase separately.
- ⁴ Programme features and availability may vary by country. For more information, visit www.hp.com/learn/suresupply.

⁵ Energy saving based on internal HP testing of Auto-Off setting compared with default setting. Minimum savings based on a 45-minute sleep delay. Maximum savings based on a 1-minute sleep delay. Actual results may vary.

- ⁶ Compared with traditional fusing.
- 7 Programme availability varies. HP print cartridge return and recycling is currently available in more than 50 countries and territories around the world through the HP Planet Partners programme. For more information, or to request return envelopes and bulk collection boxes, visit www.hp.com/recycle.







Save energy with Instant-on Technology – an innovative, quick-heating fuser system that warms rapidly and cools quickly⁶.

- Take advantage of free, easy recycling cartridges returned through HP Planet Partners are recycled responsibly⁷.
- Get centralised, easy access to custom, energy-saving options and printer settings, and reduce your paper use with HP EcoSMART Console.



Acoustic Power Emissions: 6.4 B(A) Acoustic Pressure Emissions: 51 dB(A)

Acoustic

TECHNICAL SPECIFICATIONS

Print Technology	Laser	What's In The Box	CE955A: HP LaserJet Pro 300 color M351a printer; Four preinstalled
Print Speed	Black (Normal): Up to 18 ppm; First page out black (A4, ready): As fast as 17 sec; Colour (Normal): Up to 18 ppm; First Page Out Colour (A4, ready): As fast as 17 sec;		introductory HP LaserJet toner cartridges (yield ~1400 pages); In-box documentation (Hardware installation guide); Software drivers and documentation on CD-ROMs; Power cord
Print Resolution	Black (Best): Up to 600 x 600 dpi; Black (Normal): Up to 600 x 600 dpi; Colour (Best): Up to 600 x 600 dpi;	Accessories	CB423A HP 256 MB DDR2 144-pin DIMM J8021A HP Jetdirect ew 2500 802.11b/g Wireless Print Server CF020.11b/security 250 heat Page 5
Print Technology Resolution	HP ImageREt 3600	Supplies	CF106A HP LaserJet 250-sheet Paper Feeder
Recommended Monthly Page Volume	500 to 1500		CE410A HP 305A Black LaserJet Toner Cartridge Average continuous Black Cartridge yield 2200 standard pages. Declared yield value in accordance with ISO/IEC 19798.
Monthly Duty Cycle	Up to 30,000 pages		
Standard Print Languages	HP PCL 5c, HP PCL 6, HP Postscript Level 3 emulation, PDF		CE410X HP 305X Black LaserJet Toner Cartridge
Duplex Print Options	Manual (driver support provided)		Average continuous Black Cartridge yield 4000 standard pages. Declared
Number of Print Cartridges	4 (1 each black, cyan, magenta, yellow)		yield value in accordance with ISO/IEC 19798.
Suresupply Supported	Yes		 CE411A HP 305A Cyan LaserJet Toner Cartridge Average continuous composite Cyan/Yellow/Magenta Cartridge yield 2600 standard pages. Declared yield value in accordance with ISO/IEC 19798. CE412A HP 305A Yellow LaserJet Toner Cartridge Average continuous composite Cyan/Yellow/Magenta Cartridge yield 2600 standard pages. Declared yield value in accordance with ISO/IEC 19798. CE413A HP 305A Magenta LaserJet Toner Cartridge Average continuous composite Cyan/Yellow/Magenta Cartridge Average continuous composite Cyan/Yellow/Magenta Cartridge Average continuous composite Cyan/Yellow/Magenta Cartridge yield 2600 standard pages. Declared yield value in accordance with ISO/IEC 19798.
Printer Management	Windows®: HP Device Toolbox (default install), SNP Alerts (minimum network install), HP Web Jetadmin (download); Mac: HP Utility		
Standard Connectivity	1 Hi-Speed USB 2.0		
Wireless Capability	No		
Network Capabilities	No		
Control Panel	2-line, 16-character backlit LCD display; 5 buttons (Cancel job, Left arrow, Right arrow, Select, Back); 2 LED lights (Attention, Ready)		
Fonts and Typefaces	84 scalable TrueType fonts		
Media Types Supported	Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, transparencies, labels,		
	envelopes	Power	Power Supply Type: Built-in power supply
Media Sizes Supported	Tray 1, Tray 2, optional Tray 3: A4, A5, A6, B5 (JIS), 10 x 15 cm, postcards (JIS single, JIS double), envelopes (ISO DL, ISO C5, ISO B5)		Power Requirements: Input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 3 Hz); 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz)
Media Sizes Custom	Tray 1: 76 x 127 to 216 x 356 mm; Tray 2, optional Tray 3: 100 x 148 to 216 x 356 mm		Power Consumption: 410 watts (active), 15.7 watts (ready), 3.0 watts (sleep), 0.5 watts (manual-off). Typical Electricity Consumption (TEC): 1.237
Maximum Memory	384 MB		kWh/Week
Memory Upgrade	Expandable to 384 MB through 1 industry-standard DIMM slot	20 CF (Eu	CISPR 22: 2005+A1/EN 55022: 2006+A1 Class B, EN 61000-3-2: 2006, EN 61000-3-3: 2008, EN 55024: 1998+A1+A2, FCC Title 47 CFR, GB9254-2008, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries; Safety
Paper Handling	50-sheet multipurpose tray, 250-sheet input tray Input Handling: Up to 300 sheets, Up to 10 envelopes Output Handling: Up to 150 sheets, Up to 50 sheets		
Processor Speed	600 MHz		certifications: IEC 60950-1 (International), EN 60950-1+A11 (EU), IEC 60825-1, GS License (Europe), EN 60825-1 (Class 1 Laser/LED Device),
Software Included	Windows®: HP Installer/Uninstaller, HP PCL 6 print driver, Status Alerts, HP Update, DXP; Mac: HP Installer/Uninstaller, HP Postscript driver, HP Setup Assistant, HP Utility, HP Alerts, HP Firmware Updater		Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries; ENERGY STAR: Yes
Minimum System Requirements	PC: Microsoft® Windows® 7 (32-bit/64-bit), Windows Vista® (32-bit) 64-bit): 1 GHz 32-bit (x86) or 64-bit (x64) processor, 1 GB RAM (32-bit) or 2 GB RAM (64-bit), 400 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port; Windows® XP (32-bit) SP2: Pentium® 233 MHz processor, 512 MB RAM 400 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port Mac: Mac OSX v10.5, v10.6; PowerPC G4, G5, or Intel® Core™ Processor; 500 MB hard disk; CD-ROM/DVD-ROM or Internet; USB or Network port Full software installs supported on: Microsoft® Windows® XP 32-bit (SP2 or higher); Driver only installs supported on: Microsoft® Windows® Server 2008 32-bit and 64-bit, Windows® Server 2003 32-bit (SP2 or higher); Driver only installs supported on: Microsoft® Windows® Server 2008 32-bit and 64-bit, Windows® Server 2003 32-bit (SP3 or higher); Mac OS X v10.5, v10.6; Linpus Linux (9.4, 9.5), RED HAT Enterprise Linux 5.0 (supported with a pre-built package); SUSE Linux (10.3, 11.0, 11, 11.1, 11.2), Fedora™ (9, 9.0, 10, 10.0, 11.0, 11.1, 12, 12.0), Ubuntu® (8.04, 8.04.1, 8.04.2, 8.10, 9.04, 9.10, 10.04), Debian (5.0, 5.0.1, 5.0.2, 5.0.3) (supported by the automatic installer); HPUX 11 and Solaris® 8/9	Product Dimensions	405 x 454 x 322 mm
		Product Weight	22.74 kg
		Warranty	One-year limited warranty, return to HP or authorised service provider. Warranty and support options vary by product, country and local legal requirements.
		Service And Support Options	U1J02E - HP 3 year Next Business Day Color LaserJet M351 Hardware Support U1J08PE - HP 1 year Post Warranty Next Business Day Color LaserJet M351 Hardware Support U1J03E - HP 3 year Return Color LaserJet M351 Hardware Service U1J07PE - HP 1 year Post Warranty Return Color LaserJet M351 Hardware Service (U1J03E and U1J07PE: only Central and Eastern Europe, Middle
Compatible Operating Systems			
		East, Mediterranean and Africa) Count on dependable support to create the best image possible. We can help you enhance your printing and imaging environment, protect your IT investment, and grow your business—with expert support that's affordable, personal, and tailored to your needs through HP Care Pack Services. For more information, visit our website at http://www.hp.com	
Operating Environment	Operating Temperature Range: 15 to 30°C Recommended Operating Temperature: 15 to 27°C	HP LaserJet Pro 300 color M351 © Copyright 2012 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an	
	Storage Temperature Range: 20 to 40°C Non-Operating Humidity Range: 10 to 95% RH (non-condensing) Operating Humidity Range: 10 to 80% RH (non-condensing)		

change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. All brand and product names are trademarks or registered trademarks of their respective companies. The information contained in this document is subject to change without notice. Non-Operating Humidity Range: 10 to 95% RH (non-condensing) Operating Humidity Range: 10 to 80% RH (non-condensing) Recommended Humidity Operating Range: 20 to 70% RH (non-condensing)

Published in EMEA January 2012 4AA3-8547EEE