

Full multifunction power for all your business needs





Print Less. Save More.

Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend on average up to 6% of their revenue on printing and that active print management can cut office print costs by up to 30%¹, it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.

¹ Source: InfoTrends/CapVentures, Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service, August 2008

Built for your most demanding document needs, these powerful multifunction devices support media sizes up to 11 x 17 inches (tabloid) and deliver print and copy speeds as fast as 55 pages per minute. You'll benefit from flexible paper handling, advanced finishing options, leading-edge security and the simplicity of Lexmark's user-friendly e-Task color touch screen. Best of all, Lexmark X860 Series MFPs are solutions-ready. Gain real momentum by adding application solutions tailored to the way you work.

Powerful information hub

The Lexmark X860 Series is built for speed, engineered for endurance and designed to take your productivity to the next level. These powerful devices bring serious multifunction muscle to your work team, while making it easy to manage and share information in less time, at lower cost.

- Models ranging from 35 ppm to 55 ppm, all available with optional fax
 All models include Lexmark's Embedded Solutions Framework, the
- All models include Lexmark's Embedded Solutions Framework, the solutions platform that lets you install tailored print and imaging solutions on the MFP and drive them from the touch screen
- \bullet Hard disk comes standard, providing expanded functionality
- Gigabit networking is also standard, ensuring fast data transfer

State-of-the-art security

For added peace of mind, Lexmark X860 Series MFPs include state-of-the-art features for secure management, network communication and information storage. What's more, they offer customizable user-access controls, which let you enable or disable functions with ease.

- IPSec, SNMPv3 and 802.1x network security
- Secure data encryption and disk wiping
- Cutting-edge access restrictions, including LDAP
- Proactively tracks and identifies security risks



Versatile document management

Optimize your print and imaging experience without burdening your budget. Lexmark X860 Series MFPs produce outstanding results over a broad range of media sizes and types, including labels and card stock. An impressive selection of paper handling and finishing options let you equip your Lexmark X860 with a variety of tools to create the highest-quality documents inhouse, saving you time and money.

- 75-sheet automatic document feeder lets you efficiently scan or copy multipage two-sided originals up to 11 x 17 inches (tabloid size)
- Add a 2,000-sheet input option for high-volume printing or copying
 Extra-input models (dte/dhe) available: up to 3,100 sheets standard, expandable up to 5,100 sheets
- Optional Standard Finisher staples, hole punches and offset-stacks up to 50 sheets automatically
- Optional Booklet Finisher adds folding and saddle-stitch capabilities, along with automatic overlap adjustment, for professional results

As easy as it gets

Lexmark X860 Series MFPs are a breeze to operate. Via the 9inch color touch screen, you can easily access all key functions, including print, copy, fax, scan-to, and any tailored solutions you choose to add. The intuitive 'Show Me' screen graphics are another nice touch, in addition to the Direct USB port located on the operator panel.

- Touch screen icons provide easy one-touch access to basic functions and workflow applications
- On-screen 'Show Me' graphics coach users through common printing and maintenance actions
- Insert your flash drive into the convenient Direct USB port to print documents on the go, or to scan documents directly to your portable flash drive instead of making paper copies
- The MyMFP feature allows all members of your workgroup to save and retrieve their own touch screen settings on a flash drive

Lexmark X860 Series

Explore the features that keep you moving



Intuitive touch screen

Enjoy easy one-touch access to document capture and workflow functions.

Two-sided savings

Make duplex copies of singlesided documents to cut paper use in half.

Direct USB

Front-side Direct USB port offers convenient walk-up printing and scanning of image files.

Optimal security

Integrated card reader option* quickly authenticates users and enhances document security. *Contact a Lexmark representative to learn more*

Booklet Finisher

This versatile option lets you create commercial-quality presentations, manuals, booklets, brochures and newsletters in-house.

Long-lasting toner

Genuine Lexmark cartridges ensure a low cost per page, fewer cartridge changes, and less waste.

Save time and money with Lexmark solutions

Consolidating all critical functions into one secure, high-performance device is an ideal way to save costs and boost efficiency. Lexmark multifunction technology takes productivity to an even greater level, offering you a wide range of intelligent applications that can dramatically enhance the way you work.

The extra-large color e-Task touch screen gives you more than just access to basic functions; it's also an intuitive dashboard for activating automated workflow tools and streamlining repetitive office tasks – all with the simple touch of an icon.

Choose from our large portfolio of solution applications, or let us customize one for you. You'll be amazed at the efficiency and savings that Lexmark solutions deliver!

The Productivity Checklist If you've got all these, then you've got a Lexmark!



Enormously intuitive touch screen

Lexmark's award-winning 9-inch color e-Task touch screen gives you fast, easy access to document capture and workflow functions. Tailor it to your business requirements with the icons and shortcuts you need most. You can even change the background image to whatever suits you best, like your company logo.

Optional finishing

Save time, money and office space by eliminating preprinted documents and producing more of your print jobs on demand and inhouse. Lexmark X860 Series MFPs offer all the finishing options you need to make it happen, including stapling, hole punching (2/3 or 2/4 holes), offset stacking and booklet folding with overlap adjustment.

Multitalented copying

Benefit from a rich range of advanced copy functions to boost your productivity, such as Priority Copy to interrupt long print runs temporarily; ID Card Copy to copy both sides of a card on to a single sheet; Sample Copy to proof the first copy set before printing the remaining copies; and Remote Copy, which you can use to scan color documents on your monochrome Lexmark X860 Series MFP and retrieve them from a Lexmark color laser printer.

Efficient traffic shaping

When you e-mail a large file from your Lexmark X860 Series MFP, it won't cause a traffic jam on your network. That's because traffic-shaping technology can partition your network traffic and designate lower bandwidth for outbound flows. This is especially useful for busy networks and externally hosted Web servers.

On-screen scan previews

Before you scan and e-mail an important image file, see how it looks and fits on the page. Should it be in color or black and white? Is the page orientation correct? Are you sure you scanned the correct side of the page? You may also want to check the file size of the scanned document before you save or forward it. The Lexmark X860 Series lets you preview your scan and the file size, saving you time and eliminating errors.

Personalized user settings

A real efficiency booster, Lexmark's new MyMFP feature enables multiple users to save and re-access their personal settings on their hand-held flash drive, including their local address book, personal fax numbers, individual copy settings, and even their own touch-screen configuration. Simply walk up to the MFP, slide in your flash drive and the MFP literally transforms into your personal device – a warm welcome each time you use it!

Lexmark's Embedded Solutions Framework

Experience more productivity than you could ever imagine! Lexmark's new MFPs come solutions-ready, so you can easily opt for one of Lexmark's leading workflow-enhancing applications, such as Forms on Demand, Print Release, Card Copy, Eco-Copy, Document Accounting and many more. These solutions are specially designed to help you lower costs, streamline your work processes and improve productivity by enabling you to move information more efficiently throughout your enterprise. To find out how Lexmark solution apps can boost your performance, call your Lexmark representative today.

Lexmark's guarantee to you

Lexmark's 1-Year Onsite warranty on the Lexmark X860 Series gives you added peace of mind. Enhanced service offerings are available by contacting your Lexmark representative or visiting www.lexmark.com. Optimize your MFP's performance and investment value by using genuine Lexmark supplies, service and parts.

Get exactly the performance you need





Lexmark X860de 3, 4

Solutions-ready departmental MFP with built-in duplex and 11 x 17 paper support

- $\bullet\,\mbox{Up}$ to 35 ppm, as fast as 6 seconds to first page
- Duplex printing, copying and scanning
 Fax optional on X860de 3, standard on X860de 4
- Customizable 9-inch color touch screen
- Gigabit networking and 800MHz processor
- 1,100-sheet standard input, 500-sheet output capacity
- Toner cartridge yield: 35,000* pages
- Recommended monthly volume: 10,000 to 39,000 pages





Lexmark X862dte 3, 4

All the benefits of the X860de models, but faster, more robust and with more standard input capacity

- Up to 45 ppm, as fast as 6 seconds to first page
- Duplex printing, copying and scanning
- Fax optional on X862dte 3, standard on X862dte 4
- Customizable 9-inch color touch screen
- Gigabit networking and 800MHz processor
- 2,100-sheet standard input, 500-sheet output capacity
- Toner cartridge yield: 35,000* pages
 Recommended monthly volume: 15,000 to 50,000 pages



Lexmark X864dhe 3, 4

The fastest MFPs in the series and the most standard input capacity

- Up to 55 ppm, as fast as 6.5 seconds to first page
- Duplex printing, copying and scanning
- Fax optional on X864dhe3, standard on X864dhe 4
- Customizable 9-inch color touch screen
- Gigabit networking and 800MHz processor
- 3,100-sheet standard input, 500-sheet output capacity
- Toner cartridge yield: 35,000* pages
- Recommended monthly volume: 15,000 to 50,000 pages

Product specifications

Lexmark X860 Series

	Lexmark X860de 4	Lexmark X862dte 4	Lexmark X864dhe 4
Printing Print Technology		Mara a devera di anno	
Print Technology Print Speed (Letter, Black): Up to	05 200	Monochrome Laser	EE anon
Time to First Page (Black)	35 ppm	45 ppm	55 ppm
Print Resolution, Black	As fast as 6 seconds	As fast as 6 seconds	As fast as 6.5 seconds
		1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi	
Memory, Standard Memory, Maximum		256 MB	
Print Noise Level, Operating		1280 MB	
	53 dBA	52 dBA	53 dBA
Noise Level, Idle	450,000	30 dBA	000.000
Maximum Monthly Duty Cycle: Up to	150,000 pages per month	200,000 pages per month	300,000 pages per month
Recommended Monthly Page Volume	10,000 - 39,000 pages	15,000 - 50,000 pages	15,000 - 50,000 pages
Supplies			
Supplies Yield (*Average standard page yield value declared in accordance with	48,000-page Photoconductor Unit, 35,000*-page High Yield Toner Cartridge	60,000-page Photoconductor Unit, 35,000*-page High Yield Toner Cartridge	70,000-page Photoconductor Unit, 35,000*-pag High Yield Toner Cartridge
ISO/IEC 19752.) Cartridge(s) Shipping with Product		35,000*-page High Yield Toner Cartridge	
Copying	· · · · · · · · · · · · · · · · · · ·		
Copy Speed (Letter, Black): Up to	35 cpm	45 cpm	55 cpm
ADF Scan		RADF (Reversing Duplex)	
Scanning Resolution		600 X 600 dpi, 600 X 300 dpi (color)	
Reduce / Enlarge Range		25 - 400 %	
Faxing			
Modem Speed		33.6 Kbps	
Paper Handling	1	001011000	
Paper Handling Standard	500-Sheet Output Bin, Duplex Unit, Two 500-	2 x 500-Sheet Drawer, 500-Sheet Output Bin,	500-Sheet Output Bin, Duplex Unit, Two 500-
p	Sheet Trays, 100-Sheet Multipurpose Feeder	Duplex Unit, Two 500-Sheet Trays, 100-Sheet Multipurpose Feeder	Sheet Trays, 100-Sheet Multipurpose Feeder, 2,000-Sheet Dual Input
Paper Handling Optional	2,000-Sheet High-Capacity Feeder, 2,000-Sheet Dual Input, 2 x 500-Sheet Drawer, 3,500-Sheet Finisher, Booklet Finisher	2,000-Sheet High-Capacity Feeder, 3,500-Sheet Finisher, Booklet Finisher	2,000-Sheet High-Capacity Feeder, 3,500-Sheet Finisher, Booklet Finisher
Paper Input Capacity, Standard: Up to	1,100 pages 20 lb or 75 gsm bond	2,100 pages 20 lb or 75 gsm bond	3,100 pages 20 lb or 75 gsm bond
Paper Input Capacity, Maximum: Up to	5,100 pages 20 lb or 75 gsm bond	4,100 pages 20 lb or 75 gsm bond	5,100 pages 20 lb or 75 gsm bond
Paper Output Capacity, Standard: Up to		500 pages 20 lb or 75 gsm bond	
Paper Output Capacity, Maximum: Up to		3,800 pages 20 lb or 75 gsm bond	
ADF Paper Input Capacity : Up to		75 pages 20 lb or 75 gsm bond	
Media Types Supported	Card Stock, Envelopes, Pa	aper Labels, Plain Paper, Transparencies, Refer to the	Card Stock & Label Guide
Media Sizes Supported		Envelope, DL Envelope, Executive, Folio, JIS-B4, JIS-	
Compatibility	1		
Network Protocol Support	TCP/IP IPv	4, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6,	TCP. UDP
Printer Languages (Standard)		r Data Stream (PPDS), PostScript 3 Emulation, xHTML Specification)	
Standard Ports		0), Hi-Speed USB Port Compatible with USB 2.0 Spe n (Type A), Rear Hi-Speed USB Port Compatible with 1	
Microsoft Windows Operating Systems Supported	2000, XP, Server 2003, XP x64, Server 2003 running	Terminal Services, 2000 Server running Terminal Serv 2008 x64, Server 2008 running Terminal Services, Se	rices, Server 2003 x64, Server 2003 x64 running Te
Apple Macintosh Operating Systems Supported		Mac OS X, Mac OS 9.2	
Other Operating Systems Supported		www.lexmark.com	
General	·		
Function		Copying, Faxing, Network Scanning, Printing	
Product Warranty		1-Year Onsite Service, Next Business Day	
Product Certifications		www.lexmark.com	
Size (in H x W x D)	31.5 x 25.25 x 27.75 in.	43 x 25.25 x 27.75 in.	43 x 25.25 x 27.75 in.
Weight (lb.)	169 lb.	218.0 lb.	234 lb.
Specified Operating Environment		90°F), Humidity: 8 to 80% Relative Humidity, Altitude:	

Recommended Monthly Page Volume «Recommended Monthly Page Volume» is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

Maximum Monthly Duty Cycle -Maximum Monthly Duty Cycle- is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

Trademarks

Irademarks Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. PCL is a registered trademark of Hewlett-Packard Company. AppleTalk, Mac and Macintosh are trademarks of Apple Computer, Inc., registered in the United States and other countries. MarkVet and MarkVision are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. BNER/SY STARe is a LS. registered mark. Microsoft, Windows, Ibw Windows Vista, and the Windows Vista Logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Citrix, MetaFrame and MetaFrame X are registered trademarks or trademarks of Citrix Systems, Inc. in the U.S. and other countries. Information in this document is subject to change without notice.

Lexmark X860 Series

Lexmark X860de 4



Paper Handling Standard

Paper Handling Optional

Other model available:

- Lexmark X860de 3: duplex MFP with optional fax function, Part #19Z0100

Part #	Model
19Z0200	Lexmark X860de 4
Part #	Laser Toner/Print Cartridge
X860H21G	X860e, X862e, X864e High Yield Toner Cartridge
X860H22G 25A0013	X860e, X862e, X864e Photoconductor Kit
20AUU13 2170357	Staple Cartridges (3 pack) Booklet Saddle Staple Cartridges (4 pack)
Part #	Paper & Transparencies
70X7240	Laser Printer Transparencies (Letter)
Part #	Paper Handling
15R0146	2 x 500-Sheet Drawer
15R0120	2000-Sheet Dual Input
15R0145	High Capacity Feeder
15R0144 15R0335	Finisher (2/3-Hole) Booklet Finisher (2/3-Hole)
Part #	Furniture
15R0140	Printer Cabinet
Part #	Memory Options
1025041	256MB DDR2-DRAM
1025042	512MB DDR2-DRAM
1025043	1024MB DDR2-DRAM 256MB Flash Card
14F0245 14F0102	200MB Flash Gard 80+GB Hard Disk
3060828	Japanese Font Card
30G0825	Korean Font Card
3060826	Simplified Chinese Font Card
30G0827	Traditional Chinese Font Card
Part #	Application Solutions
30G0829	Lexmark PrintCryption Card
19Z0030	X860de, X862de, X864de Forms and Bar Code Card
19Z0031	X860de, X862de, X864de Card for IPDS/SCS/TNe
Part #	Connectivity
1021294	USB Cable (2-meter)
14F0042	MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFL Print Server
14F0040	MarkNet N8150 802.11b/g/n Wireless Print Server
4 4704 45	Lexmark N4050e 802.11g Wireless Print Server
14T0145	MarkNet™ N7020e Gigabit Ethernet Print Server

1021231 14F0000 14F0100	Parallel Cable (10-foot) Parallel 1284-B Interface Card RS-232C Serial Interface Card
Part #	Extended Warranties
2351544 2351545 2351546 2351547 2351548	X860e 2-Years Total (1-1) Onsite Service, Next Business Day X860e 3-Years Total (1-2) Onsite Service, Next Business Day X860e 4-Years Total (1+3) Onsite Service, Next Business Day X860e 1-Years Total (1+4) Onsite Service, Next Business Day X860e 1-Year Onsite Service Reneval, Next Business Day
Part #	User Replaceable Parts
40X0394	X850e, X852e, X854e Fuser Maintenance Kit 110-120V
Part #	Service Parts
40X2734 40X0770	X85xe ADF Maintenance Kit X850e, X852e, X854e ADF Feed unit roll kit
Part #	Installation Service
2351569	X860e Install, De-Install Service

Lexmark X860de 4 Multifunction Printer with Fax, Up to 35,000*-page High Yield Toner Cartridge, Photoconductor kit, Software and documentation CD, Setup guide or sheet (network and local attachment), Power cord(s), RJ-11 Phone Cable or RJ-11 Phone Adapter(s) (country dependent), Statement of limited warranty / guarantee, Lexmark Cartridge Collection Program information, Safety sheet or booklet

In the box

Lexmark X862dte 4



Paper Handling Optional

Other model available:	
Laurande VOCOdes Or devalues MED with particulations	D-+ #107010

Part # 19Z0201 Mode Lexmark X862dte 4 Part # Laser Toner/Print Cartridge X860e, X862e, X864e High Yield Toner Cartridge X860e, X862e, X864e Photoconductor Kit Staple Cartridges (3 pack) Booklet Saddle Staple Cartridges (4 pack) X860H21G X860H22G 25A0013 21Z0357 Part # Paper & Transparencies 70X7240 Laser Printer Transparencies (Letter) Part # Paper Handling 15R0145 15R0144 15R0335 High Capacity Feeder Finisher (2/3-Hole) Booklet Finisher (2/3-Hole) Memory Option Part # 256MB DDR2-DRAM 512MB DDR2-DRAM 1024MB DDR2-DRAM 1025041 1025042 1025043 14F0245 14F0102 256MB Flash Card 80+GB Hard Disk 30G0828 30G0825 30G0826 30G0827 Japanese Font Card Korean Font Card Simplified Chinese Font Card Traditional Chinese Font Card Part # 30G0829 19Z0030 19Z0031 Application Solution Lexmark PrintCryption Card X860de, X862de, X864de Forms and Bar Code Card X860de, X862de, X864de Card for IPDS/SCS/TNe Part # Connectivity 1021294 14F0042 USB Cable (2-meter) MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFL Print Server Server MarkNet N8150 802.11b/g/n Wireless Print Server Lexmark N4050e 802.11g Wireless Print Server MarkNetTM N7020e Gigabit Ehernet Print Server Parallel Cable (10-foot) Parallel 1284-8 Interface Card RS-232C Serial Interface Card 14F0040 14F0040 14T0145 14T0220 1021231 14F0000 14F0100 Extended Warranties X862e 2-Years Total (1+1) Onsite Service, Next Business Day Part # 2351572

2351573 2351574 2351575 2351576	X862e 3-Years Iotal (1+2) Onsite Service, Next Business Day X862e 4-Years Total (1+3) Onsite Service, Next Business Day X862e 5-Years Total (1+4) Onsite Service, Next Business Day X862e 1-Year Onsite Service Renewal, Next Business Day
Part #	User Replaceable Parts
40X0394	X850e, X852e, X854e Fuser Maintenance Kit 110-120V
Part #	Service Parts
Part # 40X2734 40X0770	Service Parts X85xe ADF Maintenance Kit X850e, X852e, X854e ADF Feed unit roll kit
40X2734	X85xe ADF Maintenance Kit

In the box Lexmark X862de 4 Multifunction Printer with Fax, Includes 2 x 500-Sheet Drawer, Up to 35,000*-page High Yield Toner Cartridge, Photoconductor kit, Software and documentation CD, Setup guide or sheet (network and local attachment), Power cord(s), RJ-11 Phone Cable or RJ-11 Phone Adapter(s) (country dependent), - Lexmark X862dte 3: duplex MFP with optional fax function, Part #19Z0101 Statement of limited warranty / guarantee, Lexmark Cartridge Collection Program information, Safety sheet or booklet

Lexmark X860 Series

Lexmark X864dhe 4

Soo-Sheet Oudput Bin Duplek Unit Duplek Unit Duplek Unit Duplek Unit Soo-Sheet Multipurpose 2,000-Sheet Trage Quod-Sheet Trag
Paper Handling Standard Paper Handling Optional

1020202	Eoxindin Aborano 4
Part #	Laser Toner/Print Cartridge
X860H21G	X860e, X862e, X864e High Yield Toner Cartridge
X860H22G	X860e, X862e, X864e Photoconductor Kit
25A0013	Staple Cartridges (3 pack)
21Z0357	Booklet Saddle Staple Cartridges (4 pack)
Part #	Paper & Transparencies
70X7240	Laser Printer Transparencies (Letter)
Part #	Paper Handling
15R0145	High Capacity Feeder
15R0144	Finisher (2/3-Hole)
15R0335	Booklet Finisher (2/3-Hole)
Part #	Memory Options
1025041	256MB DDR2-DRAM
1025042	512MB DDR2-DRAM
1025043	1024MB DDR2-DRAM
14F0245 14F0102	256MB Flash Card 80+GB Hard Disk
30G0828	Japanese Font Card
3060825	Korean Font Card
3060826	Simplified Chinese Font Card
30G0827	Traditional Chinese Font Card
Part #	Application Solutions
30G0829	Lexmark PrintCryption Card
19Z0030	X860de, X862de, X864de Forms and Bar Code Card
19Z0031	X860de, X862de, X864de Card for IPDS/SCS/TNe
Part #	Connectivity
1021294	USB Cable (2-meter)
14F0042	MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFL Print Server
14F0040	MarkNet N8150 802.11b/g/n Wireless Print Server
14T0145	Lexmark N4050e 802.11g Wireless Print Server
14T0220	MarkNet™ N7020e Gigabit Ethernet Print Server
1021231	Parallel Cable (10-foot) Parallel 1284-B Interface Card
14F0000 14F0100	RS-232C Serial Interface Card
Part #	Extended Warranties
2351600	X864e 2-Years Total (1+1) Onsite Service. Next Business Day
2001000	NOUME 2-TEATS TOTAL (1+1) OTISILE SELVICE, WEXT DUSITIESS Day

2351601 2351602 2351603 2351604	X864e 3-Years Total (1+2) Onsite Service, Next Business Day X864e 4-Years Total (1+3) Onsite Service, Next Business Day X864e 5-Years Total (1+4) Onsite Service, Next Business Day X864e 1-Year Onsite Service Renewal, Next Business Day
Part #	User Replaceable Parts
40X0394	X850e, X852e, X854e Fuser Maintenance Kit 110-120V
Part #	Service Parts
40X2734	X85xe ADF Maintenance Kit
40X2734	X85xe ADF Maintenance Kit

Other model available:

- Lexmark X864dhe 3: duplex MFP with optional fax function, Part #19Z0102

In the box

Part # 19Z0202 Model Lexmark X864dhe 4

Lexmark X864dhe 4 Multifunction Printer with Fax, Includes 2,000-Sheet Dual Input Drawer, Up to 35,000*-page High Yield Toner Cartridge, Photoconductor kit, Software and documentation CD, Setup guide or sheet (network and local attachment), Power cord(s), RJ-11 Phone Cable or RJ-11 Phone Adapter(s) (country dependent), Statement of limited warranty / guarantee, Safety sheet or booklet, Lexmark Cartridge Collection Program information



Environmental commitment Lexmark believes that the environment is a critical component of responsible business management and clearly demonstrates it by implementing the "4R" strategy: Reduce, Recover, Reuse and Recycle. To learn more about these programs please visit www.lexmark.com/recycle.





