RADEONPROWX 3200

The ISV Certified GPU for Unbelievable Design Perfomance. At an Unbelievable Price.

The AMD Radeon[™] Pro WX 3200 workstation graphics card is AMD's most cost-effective professional graphics solution under USD \$200¹ and is ISV-certified for professional use with major design applications.

High Quality Graphics Performance for Small Form Factor Workstations.

The AEC and Manufacturing industries have seen an increased demand for quality visuals in recent years. The Radeon™ Pro WX 3200 workstation graphics card is ideal for mainstream CAD engineers who require an ISVcertified graphics solution at an unbelievable price, while providing a full set of workstation features for deployments of all sizes. The Radeon[™] Pro WX 3200 workstation graphics card has a small form factor that is designed to fit into nearly all desktop workstations. The GPU supports the latest UHD display standards with four Mini-DisplayPort[™] 1.4 outputs, and offers 4GB of high speed GDDR5 memory with up to 1.66 TFLOPS of single precision compute performance. It is powered by the enterprise-grade AMD Radeon™ Pro Software for Enterprise driver.

Ideal for 2D & 3D Design in:



DESIGN & MANUFACTURING (MFG)



ENGINEERING, & CONSTRUCTION (AEC)

For more information visit: WWW.AMD.COM/RADEONPROWX3200

To help you find the right AMD Radeon™ Pro workstation graphics solution for your industry and target application visit: AMD.com/pro-gpu-selector



Follow us: @RadeonPro

- The Radeon" Pro WX 3200 graphics card is priced at USD \$199, offering up to 1.66 TFLOPS of peak SPFP, and 10 Compute Units. The Radeon" Pro WX 3100 graphics card is priced at USD \$199, offering up to 1.25 TFLOPS of peak SPFP, and 8 Compute Units. The Radeon" Pro WX 2100 graphics card is priced at USD \$170, offering up to 1.25 TFLOPS of peak SPFP, and 8
- Compute Units, RPV-251 As of June 2017. Product is based on the DisplayPort 14 Specification published February 23, 2016, and has passed VESA's compliance testing process (excluding HDR) in June 2017. GD-123 HEVC (H.265), H.264, and VP9 acceleration are subject to and not operable without inclusion/installation of compatible HEVC players, GD-81
- Inter (1202), Interv, and in 2 acceleration are subject to and to be able to mode inclusion/instantion or constantion in the paper. In the paper was a subject to an intervention of the paper was a subject to an intervention of the paper. Intervention of the paper was a subject to an intervention of the paper was a subject to an intervention of the paper. Intervention of the paper was a subject to an intervention of the paper was a subject to an intervention of the paper. Intervention of the paper was a subject to an ine AMD Radeon[™] Pro Software for Enterprise driver 18.04 or newer plus purchase and installation of Citrix Virtual Apps & Desktops[™] or Microsoft[®] Remote Desktop Services. RPS-50

© 2020 Advanced Micro Devices, Inc. All rights reserved. AMD, the AMD Arrow logo, Radeon, and combinations thereof are trademarks of Advanced Micro Devices, Inc. Microsoft, Windows and DirectX are registered trademarks of Microsoft Corporation in the US and other jurisdictions. DisplayPort** and the DisplayPort** logo are trademarks owned by the Video Electronics Standards Association (VESA*) in the United States and other countries. Linux is the registered trademark of Linux Torvalds in the U.S. and other countries. OpenCL is a trademark of Apple Inc. used by permission by Khronos. OpenCL is a registered trademark of Silicon Graphics, Inc. used by permission by Khronos. Yulkan and the Yulkan logo are registered trademarks of Khronos Group, Inc. Other product names used in this publication are for identification purposes only and may be trademarks of their respective companies. PID# 19258564-B





RADEONPROWX 3200



Specifications:

AMDA

Graphics Core Next Stream Processors	640 (10 Compute Units)
Memory Size	4 GB GDDR5
Memory Bandwidth	96 GB/s
Memory Interface	128-bit
Display Output	(4x) DisplayPort [™] 1.4 ²
Display Output Support (@ 60Hz)	4 @ 1920x1080 (2k) 4 @ 3840x2160 (4K) 2 @ 5120x2880 (4k) 1 @ 7680x4320 (4K)
Video Acceleration ³	HEVC Encode (up to 4K) HEVC Decode (up to 4K)
Supported APIs	DirectX [®] 12, OpenGL [®] 4.6, OpenCL [™] 2.0, Vulkan [®] 1.1, Shader Model 5.1
Max Power Consumption	50W
Form Factor	2.7" x 6.6" (H x L); Single Slot
Supported Operating Systems (64-bit)	Microsoft® Windows® 10 Linux®

Key Features:

- Professional Application Certifications
- AMD 14nm "Polaris" Architecture
- 10-bit Color Depth for true colours
- Low-Profile Form Factor
- AMD Eyefinity Technology Support⁵
- FCC Class A, CE, C-Tick, BSMI, KCC, UL, VCCL, RoHS, and WEEE Regulatory Compliance
- AMD Radeon[™] Pro Software for Enterprise
- AMD Remote Workstation⁶
- AMD DirectGMA Support 4
- AMD Radeon[™] Pro ReLive⁴
- ▲ AMD Radeon[™] Pro Image Boost