QuickSpecs

Overview



Models

Part Number: C1N43AA

Introduction

Designed specifically for use with the HP Compaq Pro 6300 All-in-One, HP Compaq Elite 8300 All-in-One, HP ProOne 600 G1 All-in-One, HP EliteOne 800 All-in-One Business PCs, the HP Height Adjustable and Reclining Stand gives you the freedom to create a unique space that works for you.



QuickSpecs

Overview

Key features and benefits

- Create a single or multi-user all-in-one environment that complements your desktop, kiosk or lobby in the most spaceconstrained environments
- Easy-attach, industry-standard VESA mounting bracket
- Wide range of high and low tilt positions that bring your display into perfect view
- Vertically adjusts more than 4-inches
- Tilt angle reclines up to 60 degrees
- Rotates to landscape or portrait orientation
- Swivels from left and right 360 degrees
- Built to withstand 10,000 cycles on lift and tilt mechanisms

Compatibility

HP ProOne 600 G1 All-in-One, HP EliteOne 800 All-in-One, HP Compaq Pro 6300 All-in-One and HP Compaq Elite 8300 All-in-One Business PC.

Service and support

Your Option Limited Warranty is a one (1) year (HP Option Limited Warranty Period) parts replacement warranty on any HP-branded or Compaq-branded options (HP Options). If your HP Option is installed in an HP Hardware Product, HP may provide warranty service either for the HP Option Limited Warranty Period or the remaining Limited Warranty Period of the HP Hardware Product in which the HP Option is being installed, whichever period is the longer but not to exceed three (3) years from the date you purchased the HP Option. **NOTE:** Certain restrictions and exclusions apply. Consult the HP Customer Support Center for details.



QuickSpecs

Technical Specifications

Stand Specifications	Dimensions (H x W x D)	Unpackaged (H x W x D): 15.9 x 10.5 x 9.8 in (402.9 x 267.4 x 247.7 mm) Packaged (H x W x D): 13.3 x 19 x 13.9 in (337 x 482 x 352 mm)
	Stand weight	Unpackaged: 16.5 lbs (7.5 kg) Packaged: 19 lbs (8.63 kg)
	Height adjustment	Up to 110 mm vertical
	Tilt angle	Lowest position: => -5° to +60° Highest position: => -5° to +30°
	Operating life	10,000 cycles on lift and tilt mechanisms
	Color	Black
	VESA external mounting	Supports 100x100 mm VESA standard

© 2012-2013 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

