# HP LaserJet Enterprise MFP M528 series

# Handle business solutions securely, plus help conserve energy with HP EcoSmart toner.

Choose an HP LaserJet Enterprise MFP designed to handle business solutions securely and efficiently, and helps conserve energy with HP EcoSmart black toner. Keep up with the demands of growing business with a printer you can rely on.



#### HP LaserJet Enterprise MFP M528dn



#### HP LaserJet Enterprise MFP M528f



#### HP LaserJet Enterprise Flow MFP M528z

## The world's most secure printing<sup>1</sup>

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Your printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Memory activity is monitored to continually detect and stop attacks.
- Firmware is automatically checked during startup to determine if it's authentic code digitally signed by HP.

### Low costs, low energy use

- Avoid frustrating reprints, wasted supplies, and service calls using Original HP Toner cartridges.
- Spend less time replacing toner, and more on business. Choose optional high-yield toner cartridges.<sup>2</sup>
- Enhanced energy savings up to 29% over prior products plus save with Auto-on/Autooff technology.<sup>3</sup>
- This MFP fits in tight places to boost performance in almost any workspace.

## Your whole fleet. At your control.

- Centralize control of your printing environment with HP Web Jetadmin<sup>4</sup>—and help build business efficiency.
- Gain insights into print costs, behaviors, utilization to drive efficiencies with this cloudbased printer.
- Set security configuration policies and automatically validate settings for every HP printer in your fleet.<sup>5</sup>
- Submit print jobs on the go and securely release them at any HP Roam-enabled office printer, securely.<sup>7</sup>

## Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages —every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 100 pages into the automatic document feeder for fast, unattended scanning.

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. Learn more at http://www.hp.com/go/learnaboutsupplies



## Product walkaround



## HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

#### Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

#### Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network **Configuration Service** 

Basic Care (minimum recommended support): Next Business Day Onsite Support

#### 4 hour Onsite Support:

Onsite support within four hours after a service call В received within the coverage window х

#### Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

#### Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit В 2 including parts, materials, and labor в

#### Installation with Network Configuration Service:

Assembly, network configuration, and basic 4 administrator familiarization. For more information 3 about HP Care Pack, HP Contractual, or HP Managed 2 Print Services, visit hp.com/go/printservices 2





AirPrint







HP Care Pac

## Top features

HP printers have the industry's strongest security<sup>1</sup> because they're always on quard, continually detecting and stopping threats while adapting to new ones. And only HP printers automatically self-heal from attacks, so IT doesn't need to intervene.

Good resource management is good business. Help reduce costs and energy use with an HP Laser Jet designed to be more efficient than its predecessors, using HP JetIntelligence toner cartridges. HP, like you, is committed to keeping business moving.

Every business values a problem solver. Help get more control with a robust management system and solutions that keep up with modern business.

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs super-fast—up to 60 ipm<sup>6</sup>—and avoid extra steps with a Flow MFP designed for maximum productivity.

Product	
1PV64A	HP LaserJet Enterprise MFP M528dn
1PV65A	HP LaserJet Enterprise MFP M528f

1PV67A HP LaserJet Enterprise Flow MFP M528z

#### Accessories

JĮ

F

F

E

E

Α

2 Y

PV95A	HP Internal USB Ports Qty 100 for M507 and M528
35L31A	HP Foreign Interface Harness
(3D03A	HP Universal USB Proximity Card Reader
8031A	HP Jetdirect 2900nw Print Server
2A73A	HP LaserJet Printer Cabinet
2A72A	HP LaserJet 550-sheet Paper Tray
5K49A	HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM
5K48A	HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM
35L29A	HP High-Performance Secure Hard Disk
EH31A	HP MFP Analog Fax Accessory 700
35L28A	HP Internal USB Ports
7W14A	HP LaserJet Swedish Overlay Keyboard
IQL32A	HP Legic Secure USB Reader
SJN69A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory
2TD64A	HP Accessibility Kit
2NR12A	HP Removable Hard Drive Enclosure
2MU47A	HP Accessibility Assistant
7C05A	HP HIP2 Keystroke Reader

#### Supplies

P Care Packs		
<b>F289X</b> H	IP 89A Black Original Laser Jet Toner Cartridge (5,000 pages) IP 89X High Yield Black Original Laser Jet Toner Cartridge (10,000 pages) IP 89Y Extra High Yield Black Original Laser Jet Toner Cartridge (20,000 pages)	

#### HP UB

37B2E	HP 3 year Next Business Day w/DMR Service for LaserJet M528
37B3E	HP 4 year Next Business Day w/DMR Service for LaserJet M528
37B4E	HP 5 year Next Business Day w/DMR Service for LaserJet M528
37B5E	HP 3 year 4 hour 9x5 w/DMR Service for LaserJet M528
37B6E	HP 4 year 4 hour 9x5 w/DMR Service for LaserJet M528
37B7E	HP 5 year 4 hour 9x5 w/DMR Service for LaserJet M528

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

#### Paper

UB UB UB UB UB

Contact HP via phone: Asia: 65 6253 8500

#### Solutions

HP Web Jetadmin: hp.com/go/wja

HP Universal Print Driver: hp.com/go/upd

HP Imaging and Printing Security Center: hp.com/go/ipsc

## HP LaserJet Enterprise MFP M528 series

Model Product number	HP LaserJet Enterprise MFP M528dn 1PV64A	HP Laser Jet Enterprise MFP M528f 1PV65A	HP LaserJet Enterprise Flow MFP M528z 1PV67A			
Product number Functions	Print, copy, scan and optional fax	Print, copy, scan, fax	IFV0/A			
Print	- -					
Duplex print options	Automatic (standard)					
Print speed <sup>14</sup> First page out <sup>12</sup>	Black (A4, normal): Up to 43 ppm; Black (letter, normal): Up to 45 ppm; Black (A4, duplex): Up to 34 ipm; Black (letter, duplex): Up to 36 ipm Black (A4, ready): As fast as 6 sec; Black (A4, sleep): As fast as 13 sec					
Print technology	Laser					
Print resolution	Black (best) Up to 1200 x 1200 dpi; Black (normal) Up to 600 x 600 dpi; Black (fine lines) Up to 1200 x 1200 dpi					
Print resolution technology	300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200					
Print cartridges number	1 (black)					
Standard print	HD DCL 6 HD DCL 5 (HD DCL 5 driver available from the Web only	/), HP postscript level 3 emulation, native PDF printing (v 1.7), App	lo AirDrintTM			
languages		vare; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; F				
Printer management	Universal Print Driver (Driver Configuration Utility - Driver Deploy	/ment Utility – Managed Printing Administrator)	IP WS PTO PTOXY Agent, Printer Administrator Resource Nit for He			
Scan	Trans Flather & ADE, Technology, Contract Langer, Contract					
Scan technology	Type: Flatbed, ADF; Technology: Contact Image Sensor (CIS)		Normal (A4): Up to 45 ppm/64 ipm (b&w), up to 45 ppm/58 ip			
Scan speed <sup>12</sup>	Normal (A4): Up to 43 ppm/43 ipm (b&w), up to 38 ppm/38 ipm (color)		(color)			
Scan resolution	Enhanced: Up to 600 dpi; Hardware: Up to 600 x 600 dpi; Optica	L Up to 600 dpi	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive;			
Digital sending standard features	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF	Send to Sharepoint; Send to FTP; Send to LAN Fax; Send to Internet Fax; OCR; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Mult Pick Detect; Auto Straighten; Auto Crop To Page; OCR			
Color scanning	Yes					
Scan Size Scan input modes	Flatbed: 216 x 356 mm; ADF: 216 x 864 mm Front panel applications: Copy, E-mail, Save to Network Folder, S	ave to USB, Save to Device Memory, Open Extensibility Platform (I	OXP) applications			
Scan file format	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A		Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR),			
			Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from ea access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)			
Сору	<u> </u>		טנגבאס טאט. ראז, ראוווג הפמטץ וונפס (אָרָוון, אָרָגן, גנוונ)			
Copier smart software	Auto scale; Reduce/enlarge from scanner glass (25 to 400 perce	nt); Collate; Auto color detection; Two-sided copying; Image adjus	tments (darkness, background cleanup, sharpness): Job build			
features First copy out		; Black (letter): As fast as 6.5 sec; Black (letter, sleep): As fast as 13				
Copy resolution	Color (text and graphics): Up to 600 x 600 dpi	, — — — — — — — — — — — — — — — — — — —				
Max no of copies	Up to 9999 copies					
Copier resize	25 to 400% Two-sided copying: scalability: image adjustments (darkness, co	ntrast, background cleanup, sharpness); N-up; N or Z-ordering; co	ntent orientation: collation: booklet: job build: edge-to-edge job			
Copier settings	storage; ID Copy; Book Copy; A-to-B Copy (different media sizes)		ment onentation, collation, booklet, job baild, cage to cage job			
<b>Fax</b> Fax speed	Not available	33.6 kbps / 3 sec per page				
Fax memory	Not available	Fax memory (A4): Up to 500 pages; Fax memory (letter): Up to 5	00 pages			
Fax resolution	Not available	Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received fax				
Fax Features	Not available         to 203 x 196 dpi; Black photo grayscale: 300 x 300 dpi (400 x 400 dpi for received faxes only)           Auto fax reduction supported: Yes; Auto-redialing; Yes; Fax delayed sending; No; Distinctive ring detection supported: No; Fax forwarding supported: Yes; Yes; Junk barrier supported: Yes; Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations); PC interface supported: Yes; Fax polling supported: Yes; Goult or receive only)					
Fax smart software	Not available	Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax addr				
features Connectivity	Not dvaldable	schedule				
Standard connectivity	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket	2 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket; 1 Fax;	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabii Ethernet; 1 Hardware Integration Pocket; 1 Fax; 1 Wi-Fi direct 802.11b/g/n; 1 Bluetooth Iow energy			
Mobile printing capability <sup>5</sup>	Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certifi	ed; Roam capable for easy printing	Apple AirPrint <sup>™</sup> ; Google Cloud Print <sup>™</sup> ; HP ePrint; Mopria <sup>™</sup> Certified; Roam capable for easy printing; Wireless Direct Printing			
Wireless capability	Optional, enabled with purchase of a wireless hardware accesso available with HP Jetdirect 3000w NFC/Wireless Accessory J803 available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory HP Jetdirect 2900nw Print Server J8031A	OA, Dual band Wireless Station and Wi-Fi Direct functionality	Yes, built-in Embedded Wi-Fi with Dual band Wireless Station and Wi-Fi Direct functionality and BLE.			
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard);	Yes, via HP Jetdirect Ethernet embedded print server (standard)	Yes, via HP Jetdirect Ethernet embedded print server (standard			
	802.11a/b/g/n wireless networking (optional); second Ethernet	which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Optional 802.11a/b/g/n wireless networking and second Ethernet port	(EEE) support on Fast Ethernet and Gig Links; IPsec (standard) Embedd 802.11a/b/g/n wireless networking and second			
Memory	802.11a/b/g/n wireless networking (optional); second Ethernet port (optional). Standard: 1.25 GB (printer); 500 MB (Scanner); Maximum: 2.75 G	(EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Optional 802.11a/b/g/n wireless networking and second Ethernet port.	(EEE) support on Fast Ethernet and Gig Links; IPsec (standard)			
Memory Hard disk	802.11 a/b/g/n wireless networking (optional); second Ethernet port (optional). Standard: 1.25 GB (printer); 500 MB (Scanner); Maximum: 2.75 C	(EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Optional 802.11a/b/g/n wireless networking and second Ethernet port.	(EEE) support on Fast Ethernet and Gig Links; IPsec (standard) Embedd 802.11a/b/g/n wireless networking and second Ethernet port			
Hard disk Processor speed	802.11a/b/g/n wireless networking (optional); second Ethernet port (optional). Standard: 1.25 GB (printer); 500 MB (Scanner); Maximum: 2.75 G 1.2 GHz	(EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Optional 802.11a/b/g/n wireless networking and second Ethernet port. B MAX memory, when Accessory DIMM is installed Standard, minimum 320 GB HP High-Performance Secure Hard I	Ethernet port			
Hard disk Processor speed	802.11 a/b/g/n wireless networking (optional); second Ethernet port (optional). Standard: 1.25 GB (printer); 500 MB (Scanner); Maximum: 2.75 C	(EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Optional 802.11a/b/g/n wireless networking and second Ethernet port. B MAX memory, when Accessory DIMM is installed Standard, minimum 320 GB HP High-Performance Secure Hard I	(EEE) support on Fast Ethernet and Gig Links; IPsec (standard) Embedd 802.11a/b/g/n wireless networking and second Ethernet port			
Hard disk Processor speed Duty cycle (monthly) Paper handling Input	<ul> <li>802.11a/b/g/n wireless networking (optional); second Ethernet port (optional).</li> <li>Standard: 1.25 GB (printer); 500 MB (Scanner); Maximum; 2.75 G</li> <li>1.2 GHz</li> <li>Up to 150,000 pages; Recommended monthly page volume<sup>6</sup>; 20</li> <li>100-sheet multipurpose Tray 1, 550-sheet input Tray 2, autom.</li> </ul>	(EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Optional 802.11a/b/g/n wireless networking and second Ethernet port. B MAX memory, when Accessory DIMM is installed Standard, minimum 320 GB HP High-Performance Secure Hard I 000 to 7500 atic duplex printing	(EEE) support on Fast Ethernet and Gig Links; IPsec (standard) Embedd 802.11a/b/g/n wireless networking and second Ethernet port			
Hard disk Processor speed Duty cycle (monthly) Paper handling Input Output	<ul> <li>802.11a/b/g/n wireless networking (optional); second Ethernet port (optional).</li> <li>Standard: 1.25 GB (printer); 500 MB (Scanner); Maximum: 2.75 G</li> <li>1.2 GHz</li> <li>Up to 150,000 pages; Recommended monthly page volume<sup>6</sup>; 20</li> <li>100-sheet multipurpose Tray 1, 550-sheet input Tray 2, autom.</li> <li>250-sheet output bin</li> </ul>	(EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Optional 802.11a/b/g/n wireless networking and second Ethernet port. 3B MAX memory, when Accessory DIMM is installed Standard, minimum 320 GB HP High-Performance Secure Hard I 000 to 7500 atic duplex printing 250-sheet output bin, convenience stapler	(EEE) support on Fast Ethernet and Gig Links; IPsec (standard) Embedd 802.11a/b/g/n wireless networking and second Ethernet port Disk (AES 256 hardware encryption or greater)			
Hard disk Processor speed Duty cycle (monthly) Paper handling Input Output Media types	<ul> <li>802.11a/b/g/n wireless networking (optional); second Ethernet port (optional).</li> <li>Standard: 1.25 GB (printer); 500 MB (Scanner); Maximum: 2.75 G</li> <li>1.2 GHz</li> <li>Up to 150,000 pages; Recommended monthly page volume<sup>6</sup>: 20</li> <li>100-sheet multipurpose Tray 1, 550-sheet input Tray 2, autom. 250-sheet output bin</li> <li>Paper (bond, color, letterhead, plain, preprinted, prepunched, ree</li> </ul>	(EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Optional 802.11a/b/g/n wireless networking and second Ethernet port. B MAX memory, when Accessory DIMM is installed Standard, minimum 320 GB HP High-Performance Secure Hard I 000 to 7500 atic duplex printing	(EEE) support on Fast Ethernet and Gig Links; IPsec (standard) Embedd 802.11a/b/g/n wireless networking and second Ethernet port Disk (AES 256 hardware encryption or greater)			
Hard disk Processor speed Duty cycle (monthly) Paper handling Input Output Media types Media weight Media Sizes Custom	<ul> <li>802.11a/b/g/n wireless networking (optional); second Ethernet port (optional).</li> <li>Standard: 1.25 GB (printer); 500 MB (Scanner); Maximum: 2.75 G</li> <li>1.2 GHz</li> <li>Up to 150,000 pages; Recommended monthly page volume<sup>6</sup>: 21</li> <li>100-sheet multipurpose Tray 1, 550-sheet input Tray 2, autom: 250-sheet output bin</li> <li>Paper (bond, color, letterhead, plain, preprinted, prepunched, rec</li> <li>Tray 1: 60 to 199 g/m<sup>2</sup>; tray 2+: 60 to 120 g/m<sup>2</sup></li> <li>Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2: 105 x 148 to 2</li> </ul>	(EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Optional 802.11a/b/g/n wireless networking and second Ethernet port. 3B MAX memory, when Accessory DIMM is installed Standard, minimum 320 GB HP High-Performance Secure Hard I 000 to 7500 atic duplex printing 250-sheet output bin, convenience stapler	(EEE) support on Fast Ethernet and Gig Links; IPsec (standard) Embedd 802.11a/b/g/n wireless networking and second Ethernet port Disk (AES 256 hardware encryption or greater)			
Hard disk Processor speed Duty cycle (monthly) Paper handling Input Output Media types Media weight Media Sizes Custom Dimensions (w x d x h)	<ul> <li>802.11a/b/g/n wireless networking (optional); second Ethernet port (optional).</li> <li>Standard: 1.25 GB (printer); 500 MB (Scanner); Maximum: 2.75 G</li> <li>1.2 GHz</li> <li>1.2 GHz</li> <li>1.00-sheet multipurpose Tray 1, 550-sheet input Tray 2, autom: 250-sheet output bin</li> <li>Paper (bond, color, letterhead, plain, preprinted, prepunched, rec</li> <li>Tray 1: 60 to 199 g/m²; tray 2+: 60 to 120 g/m²</li> <li>Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2: 105 x 148 to 2</li> <li>482 x 496 x 497 mm</li> </ul>	(EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Optional 802.11a/b/g/n wireless networking and second Ethernet port. B MAX memory, when Accessory DIMM is installed Standard, minimum 320 GB HP High-Performance Secure Hard I 000 to 7500 atic duplex printing 250-sheet output bin, convenience stapler cycled, rough); envelopes; labels; cardstock; transparencies; user-c 15.9 x 355.6 mm; Optional 550-sheet Tray: 105 x 148 to 215.9 x	(EEE) support on Fast Ethernet and Gig Links; IPsec (standard) Embedd 802.11a/b/g/n wireless networking and second Ethernet port Disk (AES 256 hardware encryption or greater) defined 355.6 mm			
Hard disk Processor speed Duty cycle (monthly) Paper handling Input Output Media types Media weight Media Sizes Custom	<ul> <li>802.11a/b/g/n wireless networking (optional); second Ethernet port (optional).</li> <li>Standard: 1.25 GB (printer); 500 MB (Scanner); Maximum: 2.75 G</li> <li>1.2 GHz</li> <li>Up to 150,000 pages; Recommended monthly page volume<sup>6</sup>: 21</li> <li>100-sheet multipurpose Tray 1, 550-sheet input Tray 2, autom: 250-sheet output bin</li> <li>Paper (bond, color, letterhead, plain, preprinted, prepunched, rec</li> <li>Tray 1: 60 to 199 g/m<sup>2</sup>; tray 2+: 60 to 120 g/m<sup>2</sup></li> <li>Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2: 105 x 148 to 2</li> <li>482 x 496 x 497 mm</li> <li>21.41 kg</li> </ul>	(EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Optional 802.11a/b/g/n wireless networking and second Ethernet port. B MAX memory, when Accessory DIMM is installed Standard, minimum 320 GB HP High-Performance Secure Hard I 000 to 7500 atic duplex printing 250-sheet output bin, convenience stapler cycled, rough); envelopes; labels; cardstock; transparencies; user-c 15.9 x 355.6 mm; Optional 550-sheet Tray: 105 x 148 to 215.9 x 21.95 kg	(EEE) support on Fast Ethernet and Gig Links; IPsec (standard) Embedd 802.11a/b/g/n wireless networking and second Ethernet port Disk (AES 256 hardware encryption or greater) defined 355.6 mm 222.13 kg			
Hard disk Processor speed Duty cycle (monthly) Paper handling Input Output Media types Media weight Media Sizes Custom Dimensions (w x d x h) Weight What's in the box <sup>1</sup>	<ul> <li>802.11a/b/g/n wireless networking (optional); second Ethernet port (optional).</li> <li>Standard: 1.25 GB (printer); 500 MB (Scanner); Maximum: 2.75 G</li> <li>1.2 GHz</li> <li>1.2 GHz</li> <li>1.0 o-sheet multipurpose Tray 1, S50-sheet input Tray 2, autom: 250-sheet output bin</li> <li>Paper (bond, color, letterhead, plain, preprinted, prepunched, red</li> <li>Tray 1: 60 to 199 g/m²; tray 2+: 60 to 120 g/m²</li> <li>Tray 1: 60 to 199 g/m²; tray 2+: 60 to 120 g/m²</li> <li>Tray 1: 62 x 127 to 215.9 x 355.6 mm; Tray 2: 105 x 148 to 2</li> <li>482 x 496 x 497 mm</li> <li>21.41 kg</li> <li>HP Laser Jet Managed Flow E52645c Printer; Regulatory flyer; (DD replacement); Chile Regulatory flyer (Cab); Unpack flyer; Installation Guide; Power cord; Warranty Cards; Support flyers/phone number list Japan jtr errata (ABJ)</li> </ul>	<ul> <li>(EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Optional 802.11a/b/g/n wireless networking and second Ethernet port.</li> <li>B MAX memory, when Accessory DIMM is installed</li> <li>Standard, minimum 320 GB HP High-Performance Secure Hard I</li> <li>2000 to 7500</li> <li>atic duplex printing</li> <li>250-sheet output bin, convenience stapler</li> <li>cycled, rough); envelopes; labels; cardstock; transparencies; user-c</li> <li>15.9 x 355.6 mm; Optional 550-sheet Tray: 105 x 148 to 215.9 x</li> <li>21.95 kg</li> <li>HP Laser.let Managed Flow; MS28f Printer; Regulatory flyer (CD replacement); Unpack flyer; Installation Guide; Power cord; Warranty Cards; Support flyers/phone number list; Fax Cable; Japan jtr errata (ABJ)</li> </ul>	(EEE) support on Fast Ethernet and Gig Links; IPsec (standard) Embedd 802.11a/b/g/n wireless networking and second Ethernet port Disk (AES 256 hardware encryption or greater) defined 355.6 mm			
Hard disk Processor speed Duty cycle (monthly) Paper handling Input Output Media types Media weight Media Sizes Custom Dimensions (w x d x h) Weight What's in the box <sup>1</sup> Software included	<ul> <li>802.11a/b/g/n wireless networking (optional); second Ethernet port (optional).</li> <li>Standard: 1.25 GB (printer); 500 MB (Scanner); Maximum: 2.75 G</li> <li>1.2 GHz</li> <li>1.2 GHz</li> <li>Up to 150,000 pages; Recommended monthly page volume<sup>6</sup>; 20</li> <li>100-sheet multipurpose Tray 1, 550-sheet input Tray 2, autom.</li> <li>250-sheet output bin</li> <li>Paper (bond, color, letterhead, plain, preprinted, prepunched, red</li> <li>Tray 1: 60 to 199 g/m²; tray 2+: 60 to 120 g/m²</li> <li>Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2: 105 x 148 to 2</li> <li>482 x 496 x 497 mm</li> <li>21.41 kg</li> <li>HP Laser Jet Managed Flow E52645c Printer; Regulatory flyer; (CD replacement); Chile Regulatory flyer; (AGB); Unpack flyer; Installation Guide; Power cord; Warranty Cards; Support flyers/phone number list Japan jtr errata (ABJ)</li> <li>No software solutions are included in the Box, only on http://hp.</li> </ul>	<ul> <li>(EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Optional 802.11a/b/g/n wireless networking and second Ethernet port.</li> <li>B MAX memory, when Accessory DIMM is installed</li> <li>Standard, minimum 320 GB HP High-Performance Secure Hard I 000 to 7500</li> <li>atic duplex printing</li> <li>250-sheet output bin, convenience stapler</li> <li>cycled, rough); envelopes; labels; cardstock; transparencies; user-c</li> <li>15.9 x 355.6 mm; Optional 550-sheet Tray: 105 x 148 to 215.9 x</li> <li>21.95 kg</li> <li>HP LaserJet Managed Flow M528f Printer; Regulatory flyer (CD replacement); Unpack flyer; Installation Guide; Power cord; Warranty Cards; Support flyers/phone number list; Fax Cable; Japan jtr errata (ABJ)</li> <li>com, http://123.hp.com</li> </ul>	(EEE) support on Fast Ethernet and Gig Links; IPsec (standard)     Embedd 802.11a/b/g/n wireless networking and second     Ethernet port  Disk (AES 256 hardware encryption or greater)  defined  22.13 kg  HP Laser Jet Managed Flow M5282 Printer; Regulatory flyer (CI replacement); Unpack flyer; Installation Guide; Power cord; Warranty Cards; Support flyers/phone number list; Control Panel Overlay Label Sets (Flow); Overlay keyboard (ABJ); Fax     (Label; Japan jtr errata (ABJ)			
Hard disk Processor speed Duty cycle (monthly) Paper handling Input Output Media types Media weight Media Sizes Custom Dimensions (w x d x h) Weight What's in the box <sup>1</sup>	<ul> <li>802.11a/b/g/n wireless networking (optional); second Ethernet port (optional).</li> <li>Standard: 1.25 GB (printer); 500 MB (Scanner); Maximum: 2.75 G</li> <li>1.2 GHz</li> <li>1.2 GHz</li> <li>Up to 150,000 pages; Recommended monthly page volume<sup>6</sup>; 20</li> <li>100-sheet multipurpose Tray 1, 550-sheet input Tray 2, autom.</li> <li>250-sheet output bin</li> <li>Paper (bond, color, letterhead, plain, preprinted, prepunched, red</li> <li>Tray 1: 60 to 199 g/m²; tray 2+: 60 to 120 g/m²</li> <li>Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2: 105 x 148 to 2</li> <li>482 x 496 x 497 mm</li> <li>21.41 kg</li> <li>HP Laser Jet Managed Flow E52645c Printer; Regulatory flyer; (CD replacement); Chile Regulatory flyer; (AGB); Unpack flyer; Installation Guide; Power cord; Warranty Cards; Support flyers/phone number list Japan jtr errata (ABJ)</li> <li>No software solutions are included in the Box, only on http://hp.</li> </ul>	<ul> <li>(EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Optional 802.11a/b/g/n wireless networking and second Ethernet port.</li> <li>B MAX memory, when Accessory DIMM is installed</li> <li>Standard, minimum 320 GB HP High-Performance Secure Hard I</li> <li>000 to 7500</li> <li>atic duplex printing</li> <li>250-sheet output bin, convenience stapler</li> <li>cycled, rough); envelopes; labels; cardstock; transparencies; user-c</li> <li>15.9 x 355.6 mm; Optional 550-sheet Tray: 105 x 148 to 215.9 x</li> <li>21.95 kg</li> <li>HP LaserJet Managed Flow M528f Printer; Regulatory flyer (CD replacement); Unpack flyer; Installation Guide; Power cord; Warranty Cards; Support flyers/phone number list; Fax Cable; Japan jt rerrata (ABJ)</li> <li>com, http://123.hp.com</li> <li>port options vary by product, country and local legal requirement:</li> </ul>	(EEE) support on Fast Ethernet and Gig Links; IPsec (standard)     Embedd 802.11a/b/g/n wireless networking and second     Ethernet port  Disk (AES 256 hardware encryption or greater)  defined  22.13 kg  HP Laser Jet Managed Flow M528z Printer; Regulatory flyer (CI replacement); Unpack flyer; Installation Guide; Power cord; Warranty Cards; Support flyers/phone number list; Control Panel Overlay Label Sets (Flow); Overlay keyboard (ABJ); Fax     (Label; Japan jtr errata (ABJ)			
Hard disk Processor speed Duty cycle (monthly) Paper handling Input Output Media types Media sizes Custom Dimensions (w x d x h) Weight What's in the box <sup>1</sup> Software included Warranty features Systems Compatible operating	<ul> <li>802.11a/b/g/n wireless networking (optional); second Ethernet port (optional).</li> <li>Standard: 1.25 GB (printer); 500 MB (Scanner); Maximum: 2.75 G</li> <li>1.2 GHz</li> <li>Up to 150,000 pages; Recommended monthly page volume<sup>6</sup>; 20</li> <li>100-sheet multipurpose Tray 1, 550-sheet input Tray 2, autom.</li> <li>250-sheet output bin</li> <li>Paper (bond, color, letterhead, plain, preprinted, prepunched, red</li> <li>Tray 1: 60 to 199 g/m²; tray 2+: 60 to 120 g/m²</li> <li>Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2: 105 x 148 to 2</li> <li>482 x 496 x 497 mm</li> <li>21.41 kg</li> <li>HP Laser Jet Managed Flow E52645c Printer; Regulatory flyer; (Di replacement); Chile Regulatory flyer (ACB); Unpack flyer; installation Guide; Power cord; Warranty Cards; Support flyers/phone number list Japan jtr errata (AB).</li> <li>No software solutions are included in the Box, only on http://hp.</li> <li>One-year, next-business day, onsite warranty. Warranty and sup learn about HP award winning service and support options in yo</li> <li>Windows Client OS (32/64 bit), Win10, Win8.1, Win 8 Basic, Win6 Sierra v10.12, Apple<sup>®</sup> macCD Si</li> </ul>	<ul> <li>(EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Optional 802.11a/b/g/n wireless networking and second Ethernet port.</li> <li>B MAX memory, when Accessory DIMM is installed</li> <li>Standard, minimum 320 GB HP High-Performance Secure Hard I 2000 to 7500</li> <li>atic duplex printing</li> <li>250-sheet output bin, convenience stapler</li> <li>cycled, rough); envelopes; labels; cardstock; transparencies; user-of 15.9 x 355.6 mm; Optional 550-sheet Tray: 105 x 148 to 215.9 x</li> <li>21.95 kg</li> <li>HP LaserJet Managed Flow M528f Printer; Regulatory flyer (CD replacement); Unpack flyer; Installation Guide; Power cord; Warranty Cards; Support flyers/phone number list; Fax Cable; Japan jtr errata (ABJ)</li> <li>com, http://123.hp.com</li> <li>port options vary by product, country and local legal requirement: ur region. (wty code 4G; wty ID A001)</li> <li>B Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP<sup>2</sup> Mojave v10.14, Discrete PCL6 Printer Driver, For more informatior xon User Guides and enter your product name and search for US</li> </ul>	(EEE) support on Fast Ethernet and Gig Links; IPsec (standard)     Embedd 802.11a/b/g/n wireless networking and second     Ethernet port     Disk (AES 256 hardware encryption or greater)     Disk (AES 256 hardware encryption or greater)      defined     22.13 kg     IP Laser Jet Managed Flow M5282 Printer; Regulatory flyer (CI     replacement); Unpack flyer; Installation Guide; Power cord;     Warranty Cards; Support flyers/phone number list; Control     Panel Overlay Label Sets (Flow); Overlay keyboard (ABJ); Fax     Cable; Japan jtr errata (ABJ)     s. Contact your Contractual Vendor or go to hp.com/support to     I, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macf     on the supported for your (Product Name) User Guide, Search for			
Hard disk Processor speed Duty cycle (monthly) Paper handling Input Output Media types Media sizes Custom Dimensions (w x d x h) Weight What's in the box <sup>1</sup> Software included Warranty features	<ul> <li>802.11a/b/g/n wireless networking (optional); second Ethernet port (optional).</li> <li>Standard: 1.25 GB (printer); 500 MB (Scanner); Maximum: 2.75 C</li> <li>1.2 GHz</li> <li>1.2 Ghz</li></ul>	<ul> <li>(EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Optional 802.11a/b/g/n wireless networking and second Ethernet port.</li> <li>(B MAX memory, when Accessory DIMM is installed Standard, minimum 320 GB HP High-Performance Secure Hard I 2000 to 7500</li> <li>(a) attice duplex printing 250-sheet output bin, convenience stapler cycled, rough); envelopes; labels; cardstock; transparencies; user-of 15.9 x 355.6 mm; Optional 550-sheet Tray: 105 x 148 to 215.9 x 21.95 kg</li> <li>(HP Laser Jet Managed Flow MS286 Printer; Regulatory flyer (CD replacement). Unpack flyer; Installation Guide; Power cord; Warranty Cards; Support flyers/phone number list; Fax Cable; Japan jtr errata (ABJ)</li> <li>com, http://123.hp.com</li> <li>port options vary by product, country and local legal requirements ur region. (wty code 4G; wty ID A001)</li> <li>Pro, Win8 Enterprise N, Win7 Starter Edition SP Mojave v10.14, Discrete PCL6 Printer Driver, For more information c, on User Guides and enter your product name and search for Us r Drivers, Supported Operating systems, For more information on internet browser. For additional 05 hardware requirements see</li> </ul>	(EEE) support on Fast Ethernet and Gig Links; IPsec (standard)     Embedd 802.11a/b/g/n wireless networking and second     Ethernet port  Disk (AES 256 hardware encryption or greater)  defined  22.13 kg  HP Laser Jet Managed Flow M528z Printer; Regulatory flyer (C replacement); Unpack flyer; Installation Guide; Power cord;     Warranty Cards; Support flyers/phone number list; Control Panel Overlay Label Sets (Flow); Overlay keyboard (ABJ); Fax     Cable; Japan jtr errata (ABJ)  s. Contact your Contractual Vendor or go to hp.com/support to  I, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® mac no the supported operating systems go to     er Guide, Search for your (Product Name) User Guide, Search for     the supported operating systems see www.hp.com/go/upd microsoft.com;			

## HP LaserJet Enterprise MFP M528 series

Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscriopt Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria);additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at Http://www.hp.com/go/laserjetfonts				
Control panel	8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)	8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Integrated Keyboard			
Display	8.0 in (20.3 cm), touchscreen (1024x768), LCD (color graphics), smooth gesture, enabled touchscreen				
Power	Power supply type: Built-in 115V or 220V Power Supply; Power supply required: Input voltage: 100V to 127V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 7.5 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 7.5 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 7.5 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 7.5 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 7.5 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 7.5 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 7.5 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 7.5 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 7.5 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 7.5 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 7.5 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 7.5 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 7.5 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60 Hz nominal				
Acoustics	Acoustic power emissions <sup>17</sup> : 6.8 B(A) ; Acoustic power emissions (ready): 4.0 B(A) ; Acoustic pressure emissions bystander (active, printing): 54 dB(A) ; Acoustic pressure emissions bystander (ready): 26 dB(A)	Acoustic power emissions <sup>17</sup> : $6.8 B(A)$ ; Acoustic power emissions (ready): $4.0 B(A)$ ; Acoustic pressure emissions bystander (active, printing): $54 dB(A)$ ; Acoustic pressure emissions bystander (ready): $25 dB(A)$			
Environmental ranges	5 Operating temperature range: 10 to 32.5°C; Recommended operating temperature: 15 to 27°C; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70% R				
Safety approvals and requirements	IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010, Low Voltage Directive 2014/35/EU with CE Mark (Europe); IEC 62471:2006/EN 62471:2008 (LED lighting); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries.				
Supported network	Via built-in networking solution: TCP/IP; IPv4; IPv6; Print: TCP-IP port 9100 Direct Mode; LPD (raw queue support only); Web Services Printing; IPP 2.0; Apple AirPrint <sup>™</sup> ; HP ePrint; FTP Print; Google Cloud Print; Discovery: SLP; Bonjour; Web Services Discovery; IP Config: IPv4 (BootP; DHCP; AutoIP; Manual; TFTP Config; ARP-Ping); IPv6 (Stateless Link-Local and via Router; Stateful via DHCPv6) Management: SNMPv2/v3; HTTP/HTTPs; Telnet; TFTP Config; Syslog; Security: SNMPv3; SSL Cert Management; IPSec/Firewall; ACL; 802.1x				

#### Footnotes

<sup>1</sup> Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software ntegrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims

<sup>2</sup> High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately

<sup>3</sup> HP Auto-On/Auto-Off Technology capabilities are subject to printer and settings.

<sup>4</sup> HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin

<sup>5</sup> HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit http://www.hp.com/go/securitymanager
<sup>6</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software

<sup>7</sup> To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit hp.com/go/roam

<sup>8</sup> HP calculations based on Energy Star normalized TEC data comparing the HP LaserJet 500 series monochrome printers introduced in spring 2019 HP 89A/X/Y compared to HP 87A/X.

#### Technical specifications disclaimers

<sup>1</sup> In box cartridge yields 7,500 black pages based on ISO/IWC 19752 and continuous printing. Actual pages may vary considerably based on images printed and other factors. For more information, visit:

http://www.hp.com/go/learnaboutsupplies. <sup>2</sup> With print cartridges

<sup>3</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on

measurement of 115V device.

<sup>4</sup> Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies

<sup>5</sup> To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth<sup>®</sup> Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit http://hp.com/go/roam

<sup>6</sup> HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

<sup>7</sup> HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required. To learn more, visit http://www.hp.com/go/SureSupply

<sup>8</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

<sup>9</sup> Best TEC is not applicable to ES 2.0 TEC. This measurement was made with the printer configuration optimized for energy efficiency. Minimum sleep delay was used, Wi-Fi Direct was disabled and Active I/O - Energy Efficient Ethernet - was used. <sup>10</sup> EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

<sup>11</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software

<sup>13</sup> Measured using ISO/IEC 17629. For more information see http://www.hp.com/gdp/interclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>13</sup> Measured using ISO/IEC 17629. For more information see http://www.hp.com/gdp/interclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>14</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclains. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>15</sup> First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application and document complexity.

#### Walkaround Footnotes

<sup>1</sup> Advanced workflow features are available on the Flow MFP M528z model only and include HP EveryPage, a pull-out keyboard, embedded capture functionality, built-in OCR, plus automatic page orientation, cropping,

and tone adjustment. <sup>2</sup> Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. The HP LaserJet Enterprise MFP M528 series comes with a second-generation HIP.

<sup>3</sup> An administrator must enable the easy-access USB port before use.
 <sup>4</sup> The convenience stapler is only available on the MFP M528f and Flow MFP M528z models.

<sup>5</sup> Dual-band Wi-Fi<sup>®</sup> with Bluetooth<sup>®</sup> Low Energy is standard on the Flow MFP M528z model and optional on all other models with the addition of the HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3JN69A). If selected, you cannot also select the HP Jetdirect 2900nw Print Server (J8031A). Wireless operations are compatible with 2.4 GHz and 5 GHz operations only. Wi-Fi is a registered trademark of Wi-Fi Alliance<sup>®</sup>. Bluetooth is a trademark owned by its proprietor and used by HP Inc. under licence. Learn more at hp.com/go/mobileprinting. <sup>6</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and

document complexity.

<sup>7</sup> Purchase of optional paper trays required to reach maximum input capacity

Recommended Monthly Page Volume: HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

<sup>3</sup> Declared vield value in accordance with ISO/IEC 19752. Actual vields vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies

<sup>10</sup> The encrypted HP High-Performance Secure Hard Disk is optimal on the HP LaserJet Enterprise MFP M528d models and standard on the HP LaserJet Enterprise MFP M528d and Eduard Secure Hard Disk is optimal on the HP LaserJet Enterprise MFP M528d models. directly to the Wi-Fin etwork of a wireless direct-capable MFP or printer pior to printer pior to printing. Depending on mobile device, an app or driver may also be required. Wireless brect Accessity, Mobile device news to be connected and distance from the access point in the MFP or printer. For details, see hp.com/go/businessmobileprinting. <sup>12</sup> Touch-to-print capability requires purchase of the optional HP Jetdirect 3100w BLE/NFC/Wireless Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see

hp.com/ao/businessmobileprintina

#### To learn more, visit http://www.hp.com

© Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group. Published in APJ 4AA7-4188EEP, April 2019

