

HP 22XL High Yield Tri-color Original Ink Cartridge (C9352CE)



Overview

HP 22XL Ink Cartridge, tri-color

Save more—print in higher volumes with fewer cartridge changes, using a high-capacity ink cartridge. Print brillant color photos and bright graphics using an ink cartridge designed to work with your HP printer.

Brilliant photo color quality

Enjoy free, convenient recycling—cartridges returned through HP Planet Partners are recycled responsibly.[4]

Easy to use

Original HP ink cartridges are easy to select, replace, and install.

Reliable printed results

Impressive color documents and vibrant photos, using Original HP ink cartridges.

[4] HP ink cartridge return and recycling is available in 42 countries and territories around the world, covering 88% of the addressable market; see http://www.hp.com/recycle for details.

Specifications

Ink types	Dye-based
Color(s) of printing supplies	Tri-color
Print Technology	Ink
Supply type	Cartridges
Ink drop	5 pl
Print head nozzles	300
Print cartridge volume delivered	11 ml
Operating temperature range	15 to 35℃
Storage temperature range	-15 to 35℃
Operating humidity range	5 to 95% RH
Non-Operating Humidity Range	5 to 95% RH
Print Resolution Technologies	TIJ 2.X Gen 1
Printing Material Shelf Life	18 months
Compatibility	HP Deskjet 3910, 3920, 3930, 3940, D1311, D1320, D1330, D1341, D1360, D1420, D1430, D1445, D1455, D1460, D1468, D1520, D1530, D1560, D2330, D2345, D2360, D2430, D2445, D2460, D2468, F2110, F2120, F2140, F2180, F2185, F2187, F2210, F2212, F2235, F2240, F2250, F2275, F2280, F2290, F325, F335, F340, F350, F370, F375, F380, F390, F394, F4135, F4140, F4150, F4172, F4175, F4180, F4185, F4190, and F4194 Printers, HP Officejet 4315 and J3680 All-in-One Printers, and HPPSC 1410 All-in-One
Product count per unit	1
Case or master carton quantity	60
Quantity per pallet	2160
Count of carton in pallet	36
UPC number	(201) 884420029113; (231) 884420029120; (241) 884420029137; (251) 884420029144; (301) 884962834343; (997) 884420029151; (998) 884420029168; (ABB) 884420029052; (ABD) 884420029069; (ABE) 884420029083; (ABF) 884420029076; (BA5) 884420029090; (BA6) 884420029106; (UUQ) 884962780817; (UUS) 884962780800
Pallet barcode	(ABB) 20884420029056, (ABD) 20884420029063, (ABE) 20884420029087, (ABF) 20884420029070, (BA5) 20884420029094, (BA6) 20884420029100, (UUQ) 20884962780811, (UUS) 20884962780804
Minimum dimensions (W \times D \times H)	113 x 36 x 115 mm
Minimum dimensions (W x D x H)	4.45 x 1.42 x 4.53 in
Package dimensions (W x D x H)	113 x 36 x 115 mm
Package dimensions (W x D x H)	4.45 x 1.42 x 4.53 in

Case or master carton dimensions (W x D x H)	600 x 163 x 250 mm
Case dimensions (case or master carton)	23.62 x 6.42 x 9.84 in
Pallet dimensions (W x D x H)	1200 x 800 x 1144 mm
Pallet dimensions	47.24 x 31.5 x 45.04 mm
Case weight (case or master carton)	5.24 kg
Package weight	0.08 kg
Package weight	0.18 lb
Pallet weight	214 kg
Pallet weight	471.79 kg
Page Yield	415
What's in the box	Ink cartridge
Warranty	HP's ink cartridges and printheads are warranted to be free from defects in materials and workmanship during the period of the warranty.

Additional specifications

Cartridge Colors	Tri-color
Case weight (case or master carton, imperial)	11.55 lb
Compatibility headline	HP 22 ink cartridges work with:
Count of cartons per pallet layer	9
Count of layers in pallet	4
Country of origin	Made in Singapore
Customer segment	Tech reassurance
Empty weight	36.8 g
Operating temperature range	59 to 95°F
Package count	1
Page yield (color)	~415 pages
Page yield footnote	Tested in HP Deskjet F2280 All-in-One. Approximate average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies.
Photo (product photo, jpg, 190x170)	Ink Toner Paper Printer Supplies/C9352AE_190x170.jpg
Photo (product photo, jpg, 70x100)	Ink Toner Paper Printer Supplies/C9352AE_70x100.jpg
Print technology	HP Thermal Inkjet
Product subgroup	High Capacity Ink Cartridges
Segment	Entry level
Selectability	22XL
Smaller master carton barcode	(ABB) 10884420029059, (ABD) 10884420029066, (ABE) 10884420029080, (ABF) 10884420029073, (BA5) 10884420029097, (BA6) 10884420029103, (UUQ) 10884962780814, (UUS) 10884962780807
Storage temperature range	5 to 95°F
Subgroup	High Capacity Cartridges
UNSPSC code	44103105
Warranty	HP's ink cartridges and printheads are warranted to be free from defects in materials and workmanship during the period of the warranty. This warranty pertains to the product when used in its designated HP or authorized OEM printing device. HP will, at HP's option, either refund the purchase price or replace products that prove to be defective. Visit the HP online support web site http://www.hp.com/support for a list of support phone numbers and conditions or return to your point of purchase.
Weight	0.05 kg

Disclaimer — Copyright

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Aug 21, 2020 9:20 AM UTC+0000