


Overview

The HP Smart Array P430 Controller is a low profile, PCIe3 x8, 12 Gb/s capable Serial Attached SCSI (SAS) RAID controller that provides enterprise class storage performance and data protection for select HP ProLiant Gen8 rack and tower servers. It features eight internal physical links and delivers increased server uptime by providing advanced storage functionality, including online RAID level migration (between any RAID levels) with flash back write cache, global online spare, and pre-failure warning. Data compatibility between HP Smart Array Controllers means customers can easily upgrade to future Smart Array Controllers.



What's New

- HP Smart Array P430 controller with 4GB Flash Backed Write Cache kit with battery
- HP Secure Encryption is supported on P430 as an option
- 12 Gb/s SAS performance when used on a DL580 Gen8 with 12 Gb/s devices (SSDs or HDDs)

Models

| | | |
|---------------------------------------|--|------------|
| HP Smart Array P430 Controller | HP Smart Array P430/2GB FBWC 6Gb 1-port Int SAS Controller | 698529-B21 |
| | HP Smart Array P430/4GB FBWC 6Gb 1-port Int SAS Controller | 698530-B21 |

Standard Features

The Smart Array Advantage

HP's innovative design and integration work of the Smart Array family of products creates customer value that is unmatched in the industry. Use of Smart Array products across multiple applications results in a much lower Total Cost of Ownership (TCO) than any other server storage RAID product. The HP Smart Array family brings an unparalleled return on investment through:

Data Compatibility among most current shipping Smart Array controllers allows simple and easy upgrades any time as needs for higher performance, capacity, and availability increase. Even successive generations of Smart Array controllers understand the data format of other Smart Array Controllers.

Consistent Configuration and Management Tools. Most current shipping Smart Array products utilize a standard set of management and utility software. These tools minimize Total Cost of Ownership (TCO) by reducing training requirements and technical expertise necessary to install and maintain the HP server storage.

SmartDrive Carrier form factor is used across multiple HP servers. With compatibility across many enterprise platforms, you are free to deploy and re-deploy these drives to quickly deliver increased storage capacity, migrate data between systems, and easily manage spare drives.

Pre-Failure Warranty means HP Insight Manager not only reports when a drive is going to fail but allows replacement of failing drives prior to actual failure. For complete details, consult the HP Support Center or refer to your HP Server documentation.

Key Features

- The SA-P430 Controller supports up to 27 drives depending on the server implementation.
- Seamless upgrades from past generations and upgrades to next generation HP high performance and high capacity Serial Attached SCSI Smart Array controllers.
- 12 Gb/s SAS performance when used on a DL580 Gen8 with 12 Gb/s devices (SSDs or HDDs)
- 6 Gb/s SAS technology delivers high performance and data bandwidth and contains full compatibility with 6 Gb/s SATA technology.
- PCI Express Gen3 x8 link width delivers high performance and data bandwidth up to 8 GT/s theoretical maximum bandwidth
- 2 or 4 GiBytes Flash Backed Write Cache (FBWC) provides read ahead caching and write back caching with indefinite write cache data retention in the case of unexpected power outage
- Standard on the P430 are RAID 6 ADG, RAID 60 ADG, RAID 1 ADM, Capacity Expansion, mirror split, recombine, and rollback in Online Mode, Drive Erase, Performance Optimization-Degraded Reads and Read Coalescing, Move/Delete any individual LUNS and Online Split Mirror.
- Capable of supporting both legacy and UEFI boot operation on a DL580 Gen8 server
- The HP SSD Smart Path feature included in the Smart Array software stack improves SSD read for all RAID levels and RAID 0 write operations by optimizing the path to each SSD attached to the controller
- The HP SmartCache feature (HP Smart Cache license is required on P430) is a controller-based read caching solution in a DAS environment that caches the most frequently accessed data ("hot" data) onto lower latency SSDs to dynamically accelerate application workloads.
- The HP Secure Encryption, available as an option, is a Smart Array controller-based data encryption solution for ProLiant Gen 8 servers that protect sensitive, mission critical data.
- Mix-and-match SAS and SATA hard drives lets you deploy drive technology as needed to fit your computing environment.
- Software consistency on most current shipping Smart Array products: HP Smart Storage Administrator, HP Systems Insight Manager (SIM), and HP Intelligent Provisioning. The HP Smart Storage Administrator configures and manages a host of Smart Array Controllers and other storage devices using a single interface. It replaces the HP Array Configuration Utility (ACU) with an updated design and configuration enhancements.
- Low-profile PCI Express form factor - ships with a full size and a low profile bracket for deployment flexibility based on slot availability.

Standard Features

Management Features

- Online array expansion
 - Online capacity expansion
 - Online logical drive extension
 - Online RAID level migration
 - Online stripe size migration
 - Online mirror split, recombine and rollback
 - Online and high performance offline Rapid Parity Initialization (RPI)
 - Unlimited global online spare assignment
 - User selectable expand and rebuild priority
 - User selectable RAID level and stripe size
 - User selectable read and write cache sizes
 - Supports Predictive Spare Activation
-

Ports

- Eight (8) SAS physical links on 1 internal x8 Mini-SAS double-wide connector
-

Performance

- 12 Gb/s SAS (1200 MB/s theoretical bandwidth per physical lane) on a DL580 Gen8
 - 6 Gb/s SAS (600MB/s theoretical bandwidth per physical lane)
 - x8 6 Gb/s SAS physical lane (compatible with 6 Gb/s SATA)
 - 2 GiBytes 72-bit wide DDR3-1600MHz Flash Back Write Cache provides up to 12.8 GB/s maximum cache bandwidth or 4 GiBytes 72-bit wide DDR3-1866 Flash Back Write Cache provides up to 14.9 GB/s maximum cache bandwidth
 - PCI Express Gen3 x8 link width
 - Read ahead caching
 - Write-back caching
-

Availability

Provides increased server uptime by providing advanced storage functionality:

- Online RAID level migration between any RAID levels
 - Online stripe size migration
 - Online capacity expansion
 - Online logical drive extension
 - Online active drive replacement
 - Online drive firmware upgrade
 - Unlimited global online spare
 - Pre-Failure Warranty
-

Standard Features

Fault Prevention

The following features offer detection of possible failures before they occur, allowing preventive action to be taken:

- **S.M.A.R.T.:** Self Monitoring Analysis and Reporting Technology first developed at HP detects possible hard disk failure before it occurs, allowing replacement of the hard drive before a real failure occurs.
- **Drive Parameter Tracking** monitors drive operational parameters, predicting failure and notifying the administrator.
- **Dynamic Sector Repairing** continually performs background surface scans on the hard disk drives during inactive periods and automatically remaps bad sectors, ensuring data integrity.
- **Smart Array Cache Tracking** monitors integrity of controller cache, allowing pre-failure preventative maintenance.

Fault Tolerance

Keeps data available and server running while a failed drive is being replaced; several fault tolerance configurations are supported including:

- **RAID 6** (Advanced Data Guarding): Supported with a minimum of 4 drives. This allocates two sets of parity data across drives. This level of fault tolerance can withstand a double drive failure without downtime or data loss.
- **RAID 60:** Supported with a minimum of 8 drives. This volume is composed of two or more RAID 6 sub-volumes (parity groups) where data is striped across each parity group as if it were a single physical drive. Each RAID 6 parity group can sustain up to two drive failures without incurring data loss.
- **RAID 5** (Distributed Data Guarding): Supported with a minimum of 3 drives. This allocates one set of parity data across drives. This level of fault tolerance can withstand a single drive failure without downtime or data loss.
- **RAID 50:** Supported with a minimum of 6 drives. This volume is composed of two or more RAID 5 sub-volumes (parity groups) where data is striped across each parity group as if it were a single physical drive. Each RAID 5 parity group can sustain a single drive failure without incurring data loss.
- **RAID 1 & 10** (Drive Mirroring): Supported with a minimum of 2 drives. This allocates half of the drive array to the data and the other half to the mirrored data, providing two copies of the data.
- **RAID 1 ADM & 10 ADM** (Advanced Data Mirroring): Supported with a minimum of 3 drives. RAID 1 ADM creates redundant copies of the data using 3 drives. RAID 10 ADM stripes data across two or more sets of RAID 1 ADM volumes. This level of fault tolerance can withstand a double drive failure within a RAID 1 ADM volume without downtime or data loss.

Fault Recovery

Minimizes downtime, reconstructs data, and facilitates a quick recovery from drive failure

- **Recovery ROM:** This feature protects the user from a firmware image corruption by storing a redundant copy of the firmware image. If the active firmware image becomes corrupt, the controller will use the redundant firmware image and continue operating.
- **On-Line Spares:** There is no limit to the number of spare drives that can be installed prior to drive failure. If a failure occurs, recovery begins with an On-Line Spare and data is reconstructed automatically.
- **DRAM ECC** detects and corrects data bit errors

Standard Features

Ease of Use

Consistency and upgradeability on most current shipping Smart Array products make them unique in the industry:

- GUI based configuration, management and diagnostic software tools with the HP Smart Storage Administrator
 - Common data format between generations of products
 - Data migration between servers and external Modular Smart Array enclosures and Disk Enclosures
-

HP SSD Smart Path

The HP SSD Smart Path feature included in the Smart Array software stack improves Solid State Disk (SSD) read performance. With up to 4x better SSD read performance, HP SSD Smart Path chooses the optimum path to the SSD and accelerates reads for all RAID levels and RAID 0 writes. HP SSD Smart Path requires updated firmware, drivers, and configuration utility available at: www.hp.com/go/hpssa. HP SSD Smart Path is ideal for read intensive workloads and is included as a base feature on HP Smart Array P-series controllers. The following operating systems are supported by the HP SSD Smart Path feature: Microsoft Windows Server 2008

- Microsoft Windows Server 2008 R2
 - Microsoft Windows Server 2012
 - Red Hat Enterprise Linux 6.1, 6.2, 6.3, 6.4, and 6.5
 - SUSE Linux Enterprise Server 11 (SP1, SP2, SPA)
 - VMware ESXi 5.0 U3
 - VMware vSphere 5.1 U2 and vSphere 5.5
-

HP SmartCache

The HP SmartCache feature is a controller-based read caching solution in a DAS environment that caches the most frequently accessed data ("hot" data) onto lower latency SSDs to dynamically accelerate application workloads. The HP SmartCache architecture is flexible and supports any HP ProLiant Gen8 supported HDD for bulk storage and any HP ProLiant Gen8 supported SSD as an accelerator.

HP SmartCache is deployed and managed using the HP SmartStorage Administrator (HP SSA).

The basic HP SmartCache architecture is comprised of the following three elements:

- **Bulk storage:** The first element is the bulk storage device, which is any supported HDD attached to the HP Smart Array controller.
- **Accelerator:** The second element, the accelerator, is a faster/lower latency SSD device that caches data.
- **Metadata:** The final element is metadata, information held in the FBWC that maps the location of information residing on the accelerator and bulk storage devices.

For more information please visit: www.hp.com/go/smartcache

Standard Features

HP Secure Encryption

HP Secure Encryption is a Smart Array controller-based data encryption solution for ProLiant Gen 8 servers that protects sensitive, mission critical data. This is an enterprise-class encryption solution for data at rest on any bulk storage attached (with the exception of tape or external arrays such as P2000 and MSA 2040) to the supported HP Smart Array Px3x family of controllers including data on the cache memory of the controller.

The solution is available for both local and remote key management mode deployments. Local Key Management Mode is focused on single server deployment where there is one Master key per controller that is managed by the user. All volumes still have their own unique key(s) for data encryption. Remote Key Management Mode is for enterprise wide deployments and requires HP Integrated Lights Out (iLO) Advanced or Scale Out editions v 1.40 or later and HP Enterprise Secure Key Manager (ESKM) 3.1 or any later release. The HP ESKM manages all the encryption deployments from just a few servers to thousands of servers and 2 million keys per HP ESKM 3.1 cluster.

For more information please visit www.hp.com/go/hpsecureencryption

Warranty

The warranty for this device is 3-years parts only.

Pre-Failure Warranty: Drives attached to the Smart Array Controller and monitored under Insight Manager are supported by a Pre-Failure (replacement) Warranty. For complete details, consult the HP Support Center or refer to your HP Server Documentation.

Warranty Upgrade Options

- Response - Upgrade on-site response from next business day to same day 4 hours
- Coverage - Extend hours of coverage from 9 hours x 5 days to 24 hours x 7 days
- Duration - Select duration of coverage for a period of 1, 3, or 5 years
- Warranty upgrade options can come in the form of Care Packs, which are sold at the HP System level to which this product attaches.

Compatibility

Server Support

For up to date compatibility, please see the following URL for complete Smart Array Controller compatibility and support information: www.hp.com/go/smartarray

Operating Systems

Microsoft Windows Server 2008 R2
Microsoft Windows Server 2012
Red Hat Enterprise Linux 5 (x64 & x86)
Red Hat Enterprise Linux 6 (x64 & x86)
SUSE Linux Enterprise Server 11 (x64 & x86)
VMware ESXi 5.0 U2
VMware ESXi 5.1 U1
VMware vSphere 5.5

NOTE: For more information on HP's Certified and Supported ProLiant Servers for OS and Virtualization Software and the latest listing of software drivers available for your server and Smart Array RAID controller, please visit our Support Matrix at: <http://www.hp.com/go/ossupport>

NOTE: For more Linux OS support & certification information, please visit our the ProLiant & BladeSystem Server Linux matrix: <http://h18004.www1.hp.com/products/servers/linux/hplinuxcert.html>

Software Suite

Most current shipping Smart Array products share a common set of configuration, management and diagnostic tools, including HP Smart Storage Administrator and HP Systems Insight Manager. This software consistency of tools reduces the cost of training for each successive generation of product and takes much of the guesswork out of troubleshooting field problems. These tools lower the total cost of ownership by reducing training and technical expertise necessary to install and maintain HP server storage.

HP Systems Insight Manager

- Powerful server and server options/storage manager tool
- Monitors over 1200 system wide parameters
- Configuration/Diagnostic Utilities

HP Smart Storage Administrator

- Comprehensive management for HP Smart Storage products
- Simplified and intuitive interface and functionality
- Advanced scripting and diagnostic features

For more information please visit: www.hp.com/go/hpssa

Service and Support

Service and Support

HP Technology Services

Capitalizing on HP ProLiant server and HP BladeSystem capabilities requires a service partner who understands your increasingly complex business technology environment. That's why it makes sense to team up with the people who know HP infrastructure hardware and software best - the experienced professionals at HP Services..

Protect your business beyond warranty with HP Care Pack Services

When you buy HP Options, it's also a good time to think about what level of service you may need. HP Care Pack services provide total care and support expertise with committed response choices designed to meet your IT and business need.

HP Foundation Care services offer scalable reactive support-packages for HP servers and software. You can choose the type and level of service that is most suitable for your IT and business needs. HP Proactive Care delivers high levels of system availability through proactive service management and advanced technical response.

Recommended HP Care Pack Services for your HP product

Optimized Care

3-Year HP 6 hour Call to Repair Response, Proactive Care

Combined reactive and proactive support for hardware and software helping optimize your systems and delivering high levels of availability through proactive service management and advanced technical response. Hardware problem resolution to return the hardware in operating condition within 6 hours of the initial service request. A Technical Account Manager, as your single point of contact, will own your call or issue end to end until resolved.

<http://h20195.www2.hp.com/v2/GetPDF.aspx/4AA3-8855EEE.pdf>

HP Installation of ProLiant Add On Options Service

This easy-to-buy, easy-to-use HP Care Pack service helps ensure that your new HP hardware or software is installed smoothly, efficiently, and with minimal disruption of your IT and business operations.

Standard Care

3-Year HP 24x7 4 hour response, Proactive Care Service

This service gives you combined reactive and proactive support including rapid access to our Advanced Solution Center to manage and prevent problems and a Technical Support Specialist with a broad level of technical knowledge that will engage with additional technical expertise as needed from HP's vast global resources.

<http://h20195.www2.hp.com/v2/GetPDF.aspx/4AA3-8855EEE.pdf>

HP Installation of ProLiant Add On Options Service

This easy-to-buy, easy-to-use HP Care Pack service helps ensure that your new HP hardware or software is installed smoothly, efficiently, and with minimal disruption of your IT and business operations.

Service and Support

Related Services

HP Proactive Care Personalized Support - Environmental Option

The Personalized Support option provides an assigned Account Support Manager who can bring best practices from across the industry plus extra technical skills to your IT team. This option is only available as an add-on to HP Proactive Care Support

HP Proactive Select Service

Provides a flexible way to purchase HP best-in-class consultancy and technical services. You can buy Proactive Select Service Credits when you purchase your hardware and then use the credits over the next 12 months. <http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA2-3842ENN.pdf>

NOTE: Additional HP Care Pack services can be found at: <http://hp.com/go/cpc>

Insight Online/Insight Remote Support

HP Insight Remote Support provides 24 X 7 remote monitoring, proactive notifications, and problem resolution. This comes at no additional cost with your HP solution. Learn more about Insight Remote Support <http://www.hp.com/go/insightremotesupport> and Insight Online <http://h18013.www1.hp.com/products/servers/management/insight-online/index.html>.

HP Support Center

Personalized online support portal with access to information, tools and experts to support HP business products. Submit support cases online, chat with HP experts, access support resources or collaborate with peers. Learn more <http://www.hp.com/go/hpsc>

HP's Support Center Mobile App* allows you to resolve issues yourself or quickly connect to an agent for live support. Now, you can get access to personalized IT support anywhere, anytime.

HP Insight Remote Support and HP Support Center are available at no additional cost with a HP warranty, HP Care Pack or HP contractual support agreement.

* HP's Support Center Mobile App is subject to local availability

Parts and materials

HP will provide HP-supported replacement parts and materials necessary to maintain the covered hardware product in operating condition, including parts and materials for available and recommended engineering improvements.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product QuickSpecs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

The defective media retention service feature option applies only to Disk or eligible SSD/Flash Drives replaced by HP due to malfunction.

For more information

To learn more on services for HP ProLiant Servers, please contact your HP sales representative or HP Authorized Channel Partner. Or visit: <http://www.hp.com/services/proliant>.

Related Options

NOTE: This is a list of supported options. Some may be discontinued.

HP Hard Drives

SAS Hot Plug with SmartDrive SFF (2.5-inch) Enterprise Drives

| | |
|--|------------|
| HP 900GB 6G SAS 10K rpm SFF (2.5-inch) SC Enterprise 3yr Warranty Hard Drive | 652589-B21 |
| HP 600GB 6G SAS 10K rpm SFF (2.5-inch) SC Enterprise 3yr Warranty Hard Drive | 652583-B21 |
| HP 450GB 6G SAS 10K rpm SFF (2.5-inch) SC Enterprise 3yr Warranty Hard Drive | 652572-B21 |
| HP 300GB 6G SAS 10K rpm SFF (2.5-inch) SC Enterprise 3yr Warranty Hard Drive | 652564-B21 |
| HP 300GB 6G SAS 15K rpm SFF (2.5-inch) SC Enterprise 3yr Warranty Hard Drive | 652611-B21 |
| HP 146GB 6G SAS 15K rpm SFF (2.5-inch) SC Enterprise 3yr Warranty Hard Drive | 652605-B21 |

SAS Hot Plug SmartDrive SFF (2.5-inch) Midline Drives

| | |
|--|------------|
| HP 1TB 6G SAS 7.2K rpm SFF (2.5-inch) SC Midline 1yr Warranty Hard Drive | 652749-B21 |
| HP 500GB 6G SAS 7.2K rpm SFF (2.5-inch) SC Midline 1yr Warranty Hard Drive | 652745-B21 |

SAS Hot Plug SmartDrive LFF (3.5-inch) Enterprise Drives

| | |
|--|------------|
| HP 600GB 6G SAS 15K rpm LFF (3.5-inch) SC Enterprise 3yr Warranty Hard Drive | 652620-B21 |
| HP 450GB 6G SAS 15K rpm LFF (3.5-inch) SC Enterprise 3yr Warranty Hard Drive | 652615-B21 |

SAS Hot Plug SmartDrive LFF (3.5-inch) Midline Drives

| | |
|--|------------|
| HP 4TB 6G SAS 7.2K rpm LFF (3.5-inch) SC Midline 1yr Warranty Hard Drive | 695510-B21 |
| HP 3TB 6G SAS 7.2K rpm LFF (3.5-inch) SC Midline 1yr Warranty Hard Drive | 652766-B21 |
| HP 2TB 6G SAS 7.2K rpm LFF (3.5-inch) SC Midline 1yr Warranty Hard Drive | 652757-B21 |
| HP 1TB 6G SAS 7.2K rpm LFF (3.5-inch) SC Midline 1yr Warranty Hard Drive | 652753-B21 |

HP SAS Hot Plug Drives

| | |
|---|------------|
| HP 900GB 6G SAS 10K rpm SFF (2.5-inch) Dual Port Enterprise 3yr Warranty Hard Drive | 619291-B21 |
| HP 600GB 6G SAS 10K rpm SFF (2.5-inch) Dual Port Enterprise 3yr Warranty Hard Drive | 581286-B21 |
| HP 450GB 6G SAS 10K rpm SFF (2.5-inch) Dual Port Enterprise 3yr Warranty Hard Drive | 581284-B21 |

SAS Hot Plug LFF (3.5-inch) Enterprise (ENT) Drives

| | |
|---|------------|
| HP 600GB 6G SAS 15K rpm LFF (3.5-inch) Dual Port Enterprise 3yr Warranty Hard Drive | 516828-B21 |
| HP 450GB 6G SAS 15K rpm LFF (3.5-inch) Dual Port Enterprise 3yr Warranty Hard Drive | 516816-B21 |
| HP 300GB 6G SAS 15K rpm LFF (3.5-inch) Dual Port Enterprise 3yr Warranty Hard Drive | 516814-B21 |

SAS Hot Plug SFF (2.5-inch) Midline (MDL) Drives

| | |
|---|------------|
| HP 1TB 6G SAS 7.2K rpm SFF (2.5-inch) Dual Port Midline 1yr Warranty Hard Drive | 605835-B21 |
| HP 500GB 6G SAS 7.2K rpm SFF (2.5-inch) Dual Port Midline 1yr Warranty Hard Drive | 507610-B21 |

SAS Hot Plug LFF (3.5-inch) Midline (MDL) Drives

| | |
|---|------------|
| HP 4TB 6G SAS 7.2K rpm LFF (3.5-inch) Midline 1yr Warranty Hard Drive | 693689-B21 |
| HP 3TB 6G SAS 7.2K rpm LFF (3.5-inch) Midline 1yr Warranty Hard Drive | 625031-B21 |
| HP 2TB 6G SAS 7.2K rpm LFF (3.5-inch) Dual Port Midline 1yr Warranty Hard Drive | 507616-B21 |
| HP 1TB 6G SAS 7.2K rpm LFF (3.5-inch) Dual Port Midline 1yr Warranty Hard Drive | 507614-B21 |

NOTE: Please see the QuickSpecs for Technical Specifications and additional information:

http://h18000.www1.hp.com/products/quickspecs/12244_div/12244_div.html
(Worldwide)

6G SATA Hot Plug with SmartDrive SFF (2.5-inch) Midline (MDL) Drives

Related Options

| | |
|---|------------|
| HP 1TB 6G SATA 7.2K rpm SFF (2.5-inch) SC Midline 1yr Warranty Hard Drive | 655710-B21 |
| HP 500GB 6G SATA 7.2K rpm SFF (2.5-inch) SC Midline 1yr Warranty Hard Drive | 655708-B21 |
| 6G SATA Hot Plug with SmartDrive LFF (3.5-inch) Midline (MDL) Drives | |
| HP 4TB 6G SATA 7.2k rpm LFF (3.5-inch) SC Midline 1yr Warranty Hard Drive | 693687-B21 |
| HP 3TB 6G SATA 7.2K rpm LFF (3.5-inch) SC Midline 1yr Warranty Hard Drive | 628061-B21 |
| HP 2TB 6G SATA 7.2K rpm LFF (3.5-inch) SC Midline 1yr Warranty Hard Drive | 658079-B21 |
| HP 1TB 6G SATA 7.2K rpm LFF (3.5-inch) SC Midline 1yr Warranty Hard Drive | 657750-B21 |
| HP 500GB 6G SATA 7.2K rpm LFF (3.5-inch) SC Midline 1yr Warranty Hard Drive | 658071-B21 |
| 6G SATA Non-hot Plug LFF (3.5-inch) Midline (MDL) Drives | |
| HP 3TB 6G SATA 7.2K rpm LFF (3.5-inch) Non-hot plug Midline 1yr Warranty Hard Drive | 628065-B21 |
| HP 2TB 6G SATA 7.2K rpm LFF (3.5-inch) Non-hot plug Midline 1yr Warranty Hard Drive | 659339-B21 |
| HP 1TB 6G SATA 7.2K rpm LFF (3.5-inch) Non-hot plug Midline 1yr Warranty Hard Drive | 659337-B21 |
| HP 500GB 6G SATA 7.2K rpm LFF (3.5-inch) Non-hot plug Midline 1yr Warranty Hard Drive | 659341-B21 |
| HP SATA Hot Plug Hard Drives | |
| SATA Hot Plug SFF (2.5-inch) Midline (MDL) Drives | |
| HP 1TB 3G SATA 7.2K rpm SFF (2.5-inch) Hot Plug Midline 1yr Warranty Hard Drive | 625609-B21 |
| HP 500GB 3G SATA 7.2K rpm SFF (2.5-inch) Midline 1yr Warranty Hard Drive | 507750-B21 |
| SATA Hot Plug LFF (3.5-inch) Midline (MDL) Drives | |
| HP 4TB 3G SATA 7.2k rpm LFF (3.5-inch) Midline 1yr Warranty Hard Drive | 694374-B21 |
| HP 3TB 3G SATA 7.2K rpm LFF (3.5-inch) Midline 1yr Warranty Hard Drive | 628059-B21 |
| HP 2TB 3G SATA 7.2K rpm LFF (3.5-inch) Midline 1yr Warranty Hard Drive | 507632-B21 |
| HP 1TB 3G SATA 7.2K rpm LFF (3.5-inch) Midline 1yr Warranty Hard Drive | 454146-B21 |
| HP 500GB 3G SATA 7.2K rpm LFF (3.5-inch) Midline 1yr Warranty Hard Drive | 458928-B21 |
| NOTE: SATA hard drives have a 1-year warranty. Please see the QuickSpecs for Technical Specifications and additional information: | |
| http://h18000.www1.hp.com/products/quickspecs/13021_div/13021_div.html | |
| (Worldwide) | |
| HP Solid State Drives | |
| 12G SAS Enterprise Performance Solid State Drives | |
| HP 800GB 12G SAS High Endurance SFF 2.5-in SC Enterprise Performance 3yr Wty Solid State Drive | 741159-B21 |
| HP 400GB 12G SAS High Endurance SFF 2.5-in SC Enterprise Performance 3yr Wty Solid State Drive | 741155-B21 |
| HP 200GB 12G SAS High Endurance SFF 2.5-in SC Enterprise Performance 3yr Wty Solid State Drive | 741151-B21 |
| 12G SAS Enterprise Mainstream Solid State Drives | |
| HP 800GB 12G SAS Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive | 741146-B21 |
| HP 400GB 12G SAS Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive | 741142-B21 |

Related Options

| | |
|---|------------|
| HP 200GB 12G SAS Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive | 741138-B21 |
| 6G SATA ME Hot Plug SFF (2.5-inch) Enterprise Mainstream Solid State Drives | |
| HP 800GB 6G SATA Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive | 691868-B21 |
| HP 400GB 6G SATA Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive | 691866-B21 |
| HP 200GB 6G SATA Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive | 691864-B21 |
| HP 100GB 6G SATA Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive | 691862-B21 |
| 6G SATA ME Hot Plug SFF (3.5-inch) Enterprise Mainstream Solid State Drives | |
| HP 800GB 6G SATA Mainstream Endurance LFF 3.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive | 691860-B21 |
| HP 400GB 6G SATA Mainstream Endurance LFF 3.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive | 691856-B21 |
| HP 200GB 6G SATA Mainstream Endurance LFF 3.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive | 691854-B21 |
| HP 100GB 6G SATA Mainstream Endurance LFF 3.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive | 691852-B21 |
| 6G SAS ME Hot Plug SFF (2.5-inch) Enterprise Mainstream Solid State Drives | |
| HP 800GB 6G SAS Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive | 690829-B21 |
| HP 400GB 6G SAS Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive | 690827-B21 |
| HP 200GB 6G SAS Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive | 690825-B21 |
| 6G SAS SLC Hot Plug SFF (2.5-inch) Enterprise Performance Solid State Drives | |
| HP 400GB 6G SAS SLC SFF (2.5-inch) SC Enterprise Performance 3yr Warranty Solid State Drive | 653082-B21 |
| HP 200GB 6G SAS SLC SFF (2.5-inch) SC Enterprise Performance 3yr Warranty Solid State Drive | 653078-B21 |

NOTE: Please see the QuickSpecs for Technical Specifications and additional information:

http://h18000.www1.hp.com/products/quickspecs/14038_div/14038_div.html (Worldwide)

NOTE: Go to the HP Hard Drive Compatibility table for complete drive compatibility information (<http://www.hp.com/products/harddiskdrives>). Using hard drives in unsupported configurations will result in voiding the warranty and could result in damage to the drive and/or loss of data.

NOTE: The components of a storage subsystem (e.g. the drive, the HBA/controller, firmware, and the server backplane) should operate at the same data transfer rate or the system bandwidth will be negotiated down to an acceptable level for all components.

NOTE: Hard drives have either a one year or three year warranty; refer to the specific hard drive QuickSpecs for details.

Related Options

HP Cable Options

Internal SAS Cables for P430

| | |
|---|------------|
| HP Internal SAS 68-pin SFF-8087 2x36-pin SFF-8087 Left Exit Cable | 730603-B21 |
| NOTE: This cable is for DL360p Gen8 and DL360p Gen8 SE SFF models. HP Smart Array P430 is supported in the x16 PCIe slot. See server QuickSpecs for details. | |
| HP Internal SAS 68-pin SFF-8087 1x36-pin SFF-8087 Left Exit Cable | 730612-B21 |
| NOTE: This cable is for DL360p Gen8 LFF model. See server QuickSpecs for details. | |
| HP P430 Enablement Cable Kit | 740024-B21 |
| NOTE: This cable is for SL270s Gen8 server. See server QuickSpecs for details. | |
| HP Mini SAS P430/P830 Cable Kit | 718409-B21 |
| NOTE: This cable is for SL210t Gen8 server. See server QuickSpecs for details. | |
| HP ML350p Gen8 Smart Array Cable Kit | 725675-B21 |
| NOTE: This cable is for ML350p Gen8 server. See server QuickSpecs for details. | |
| HP 6G SAS P430/830 Primary Cable Kit | 729278-B21 |
| NOTE: This cable is for DL380p and DL385p Gen8 8SFF model. See server QuickSpecs for details. | |
| HP 6G SAS P430/830 Secondary Cable Kit | 729276-B21 |
| NOTE: This cable is for DL380p and DL385p Gen8 8SFF model. See server QuickSpecs for details. | |
| HP DL38Xp Gen8 12 Large Form Factor (LFF) P430/830 Cable Kit | 729272-B21 |
| NOTE: This cable is for DL380p and DL385p Gen8 12LFF model. See server QuickSpecs for details. | |
| HP DL38Xp Gen8 25 Small Form Factor (SFF) P430/830 Cable Kit | 729274-B21 |
| NOTE: This cable is for DL380p, DL385p Gen8 25SFF model, and DL560 Gen8. See server QuickSpecs for details. | |

HP SmartCache

| | |
|--|----------|
| HP SmartCache No Media 24x7 Technical Support 1 Svr License | D7S26A |
| NOTE: This part number can be used to purchase a single license or to order multiple licenses with a unique activation key per server. Customer will receive a printed license entitlement certificate via physical shipment. The license entitlement certificate must be redeemed online or via fax in order to obtain the license activation key(s). Include one year of 24x7 HP Software Technical Support Services. | |
| HP SmartCache No Media 24x7 Technical Support Flexible License | D7S27A |
| NOTE: This part number can be used to purchase a single license or to order multiple licenses with a single activation key. Customers will receive a license entitlement certificate via e-mail. The license entitlement certificate must be redeemed online or via fax in order to obtain the license activation key(s). Include one year of 24x7 HP Software Technical Support Services. | |
| HP SmartCache No Media 24x7 Technical Support Electronic License | D7S27AAE |
| NOTE: This part number can be used to purchase multiple licenses with a single activation key. Customer will receive a printed license entitlement certificate via physical shipment. The license entitlement certificate must be redeemed online or via fax in order to obtain the license activation key(s). Includes one year of 24x7 HP Software Technical Support Services. | |

Related Options

NOTE: Please see the QuickSpecs for Technical Specifications and additional information:

http://h18000.www1.hp.com/products/quickspecs/14532_div/14532_div.html
(Worldwide)

For more information visit: www.hp.com/go/smartcache

HP Secure Encryption

NOTE: HP Secure Encryption licensing is based on the number of physical drives requiring encryption.

HP Secure Encryption No Media E-LTU per Drive

D8S85AAE

HP Secure Encryption No Media Flexible License per Drive

D8S84A

NOTE: Electronic licenses are the recommended license delivery mechanism for HP Secure Encryption

NOTE: Please see the QuickSpecs for Technical Specifications and additional information:

http://h18000.www1.hp.com/products/quickspecs/14623_div/14623_div.html
(Worldwide)

For more information visit: www.hp.com/go/hpsecureencryption

Technical Specifications

| | |
|---|--|
| Dimensions (not including bracket) | Low Profile PCIe Form Factor 7.5 in x 9.5 in x 2.25 in (19.05 cm x 24.13 cm x 5.72 cm) |
| Disk Drive and Enclosure Interface - Transfer rate | 12 Gb/s SAS (Serial Attached SCSI) capable 6 Gb/s SAS (Serial Attached SCSI) 6 Gb/s SATA (Serial ATA) |
| SAS Connectors | 1 internal x8 Mini-SAS double-wide connector |
| SAS Port Link Rate | 6 Gb/s per physical link supported; 12 Gb/s per physical link capable |
| PCIe Link Rate | PCIe3 x8 |
| Cache Memory Speed | DDR3-1600MHz, 72-bit wide bus at 12.8GB/s (2 GiBytes cache module) DDR3-1866MHz, 72-bit wide bus at 14.9 GB/s (4 GiBytes cache module) |
| Physical Drives Supported | Up to 27 physical drives |
| Logical Drives Supported | Up to 64 logical volumes |
| Host Memory Addressing | 64-bit, supporting greater than 4GiB (or 4.4 GB) server memory space |
| RAID Support | RAID 6, 60 (Advanced Data Guarding) RAID 5, 50 (Distributed Data Guarding) RAID 1, 10 (Drive Mirroring) RAID 1 ADM, 10 ADM (Advanced Data Mirroring) RAID 0 (Striping) |
| Upgradeable Firmware | Upgradeable Firmware with recovery ROM feature |

| | | |
|---|---|--|
| Environment-friendly Products and Approach | End-of-life Management and Recycling | Hewlett-Packard offers end-of-life HP product return, trade-in, and recycling programs in many geographic areas. For trade-in information, please go to: http://www.hp.com/go/green . To recycle your product, please go to: http://www.hp.com/go/green or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner. |
|---|---|--|

The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: <http://www.hp.com/go/green>. These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.

© Copyright 2014 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice. Microsoft and Windows are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.