

Philips Brilliance LED monitor with PowerSensor P-line 21.5" (54.6 cm) Brilliance

221P3LPYES



Innovative PowerSensor display saves energy bills

Eco-friendly, EPEAT Gold certified Philips Professional 221P3 LED display with intelligent PowerSensor detects user presence and adjusts power consumption saving up to 80% on energy bills!

Sustainable Eco-friendly solution

- · PowerSensor: Ensures lower operating costs by saving energy
- EPEAT Gold ensures lowest impact on environment
- Mercury Free eco-friendly display
- ZeroWatt switch 100% power saving

Ergonomic design

- 130 mm height adjustment for ideal sitting position
- 90-degree screen rotation and smart cable management

Outstanding display performance

- · LED technology ensures natural colours
- · SmartImage: Optimised user-friendly display experience

Great convenience

- DisplayPort transmits digital signals in one cable
- Built-in speakers for audio without desktop clutter
- USB Hub with four ports for easy connections



Highlights

PowerSensor



PowerSensor is a built-in 'people sensor' that transmits and receives harmless infrared signals to determine if user is present and automatically reduces monitor brightness when user steps away from the desk, cutting energy costs by up to 80 percent and prolonging monitor life.

LED technology

White LEDs are solid state devices which light up to full, consistent brightness faster, saving startup time. LEDs are free from Mercury content which allows for eco-friendly recycling and disposal process. LEDs allow for better dimming control of LCD backlight, resulting in super high contrast ratio. It also gives superior colour reproduction thanks to consistent brightness across the screen.

DisplayPort

DisplayPort is a direct drive digital link with a two-way connection from PC to Monitor without any conversion. With higher capabilities than DVI standard, it is fully capable of supporting up to 15 metre cables and 10.8 Gbps/sec data transfer. With this high performance and zero latency, you get the fastest imaging and refresh rates - making DisplayPort the best choice for not only general office or home use, but also for demanding 3D gaming and movies, video editing and more. It also keeps interoperability in mind via use of various adapters.

EPEAT Gold

Philips EPEAT GOLD certified monitors ensure protection for human health and the environment, and are highly energy efficient ensuring low emissions of climate changing green house gases. The EPEAT programme helps purchasers evaluate, compare and select Monitors based on 51 environmental criteria supported by the US EPA. GOLD certification ensures that at least 30% of plastic used is Post Consumer Resin, which ensures reduction in the use of toxic and hazardous materials. EPEAT Gold is valid only where Philips registers the product. Please visit www.epeat.net for the registration status in your country.

Zero Switch

In line with Philips' commitment to "Sense and Simplicity" we enable you to make a responsible choice to switch OFF your monitor at any given time. At the touch of a single ON/OFF button which is conveniently located at the back of the monitor, the monitors' energy consumption is reduced to Zero. In the OFF mode, the monitor is completely cut off from AC power and thereby reducing your carbon footprint even further.

ScreenRotate

ScreenRotate makes it possible to use a monitor in either the landscape or portrait mode; to change orientation for a better view of a selected document or image, the monitor is rotated to the desired orientation.

130 mm height adjustment

The Super Ergo Base is a 'people friendly' Philips monitor base that tilts, swivels, is height adjustable and Pivots to 90 degrees, so each user can position the monitor for maximum viewing comfort and efficiency

SmartImage



SmartImage is an exclusive leading edge Philips technology that analyses the content displayed on your screen and gives you optimised display performance. This user-friendly interface allows you to select various modes like Office, Image, Entertainment, Economy etc., to fit the application in use. Based on the selection, SmartImage dynamically optimises the contrast, colour saturation and sharpness of images and videos for ultimate display performance. The Economy mode option offers you major power savings. All in real time with the press of a single button!

Four Ports USB 2.0 HUB

221P3LPYES/00

USB Hub allows user to conveniently connect their plug and play multimedia devices such as USB memory devices, camera, portable HDD, Web camera, PDA, Printer and many other devices which have USB connection available. The conveniently located USB 2.0 Hub on the monitor allows USB 2.0 signals to pass through to the computer. Note that many devices like cameras and HDD may need to be powered On independently, as they have higher power requirements than the monitor USB Hub can provide.

Mercury Free

Philips' monitors with LED backlighting are free of Mercury content, one of the most toxic natural substances which affects humans and animals. This allows for an eco-friendly display throughout its lifecycle, from manufacturing to disposal. Being at the forefront of sustainability and with our longstanding commitment to reduce the environmental impact of our products, we enable consumers to make simple, responsible choices about the products they buy and the impact they have before, during and at the end of their lifecycle.

Built-in speakers

A pair of high-quality stereo speakers built into a display device. They may be visible front firing, or invisible down firing, top firing, rear firing etc. depending on model and design.













TCO





Specifications

Picture/Display

- LCD panel type: TFT-LCD
- Backlight type: W-LED system
- Panel Size: 21.5 inch/54.6 cm
- Effective viewing area: 476.6 (H) \times 268.1 (V)
- Aspect ratio: 16:9
- Optimum resolution: 1920 x 1080 @ 60 Hz
- Response time (typical): 5 ms
- Brightness: 250 cd/m²
- Contrast ratio (typical): 1000:1
- SmartContrast: 20,000,000:1
- Pixel pitch: 0.248 x 0.248 mm
- Viewing angle: 176° (H)/170° (V), @ C/R > 5
- Picture enhancement: SmartImage
- Display colours: 16.7 M
- Scanning Frequency: 30–83 kHz (H)/56–75 Hz (V) • sRGB

Connectivity

- Signal Input: VGA (Analogue), DVI-D (digital, HDCP), DisplayPort
- USB: USB 2.0 x 4
- Sync Input: Separate Sync, Sync on Green
- Audio In/Out: Earphone out (3.5 mm jack) x 1, PC audio-in

Convenience

- Built-in Speaker: 1.5 W x 2
- User convenience: SmartImage, Volume, Power On/Off, PowerSensor, Menu
- OSD Languages: English, French, German, Italian, Portuguese, Russian, Simplified Chinese, Spanish
- Other convenience: VESA mount (100 x 100 mm), Kensington lock
- Plug and Play Compatibility: DDC/Cl, Mac OS X, sRGB, Windows 7/Vista/XP

Stand

- Height adjustment: 130 mm
- Pivot: 90 degree, anti-clockwise, auto pivot

- Swivel: -65/+65 degree
- Tilt: -5/20 degree

Power

- ECO mode: 13.5 W (typ.)
- On mode: 17.8 W (EnergyStar 5.0 test method)
- Standby mode: 0.5 W
- Off mode: 0 W (AC switch)
- Power LED indicator: Operation White, Standby mode White (flashing)
- Power supply: Built-in, 100-240 VAC, 50/60 Hz

Dimensions

- Product with stand (mm): 507 x 487 x 220 mm
- Product without stand (mm): 507 x 323 x 59 mm
- Packaging in mm (W x $H \times D$): 565 x 377 x 262 mm

Weight

- Product with stand (kg): 5.64 kg
- Product without stand (kg): 3.51 kg
- Product with packaging (kg): 7.43 kg

Operating conditions

- Temperature range (operation): 0°C to 40°C °C
- Temperature range (storage): -20°C to 60°C °C
- Relative humidity: 20-80% %
- MTBF: 30,000 hour(s)

Sustainability

- Environmental and energy: EnergyStar 5.0, EPEAT Gold, RoHS
- Recyclable packaging material: 100 %

Compliance and standards

 Regulatory Approvals: BSMI, CE Mark, FCC Class B, GOST, SEMKO, TCO 5.1, TUV Ergo, TUV/GS, UL/cUL

Cabinet

- Colour: Silver
- Finish: Texture



Issue date 2011-03-16

© 2011 Koninklijke Philips Electronics N.V. All Rights reserved.

www.philips.com

Version: 1.0.2

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

12 NC: 8670 000 70528 EAN: 87 12581 57766 7 221P3LPYES/00